
AD-A085 748 HUMAN RESOURCES RESEARCH ORGANIZATION ALEXANDRIA VA F/6 5/9
AN ANALYSIS OF COMPLETION TIMES AT VARIOUS ARMY TRAINING CENTER--ETC(U)
UNCLASSIFIED HUMRO-CR-D4-72-4 . 1 : 2




ADA 085748

This document has been approve for public release and sale; its distribution is unlimited.



4,00,000 3 06 6 6 6 6 6 6 6 6 6 6



This Consulting Report has been prepared to provide information to the requesting agency on the results of technical advisory service. It has been issued by the Director of HumRRO Division No. 4. It has not been reviewed by, nor does it necessarily represent the official opinion or policy of the President, Human Resources Research Organization or the Department of the Army.

15] IMAC! 19 4 COTS

ICT. 0. Jacobs

11/29 4001471712

HumRRO Division No. 4 Fort Benning, Georgia

Approved for public release; distribution unlimited

2/1520

FOREWORD

This report discusses research that was accomplished by the Human Resources Research Organization (HumRRO) Division No. 4 located at Fort Benning, Georgia. The objectives of the research were to conduct an analysis of possible differences in completion times at the various Army Training Centers of programmed instruction materials leading to the award of MOS 71 B 10, MOS 71 H 20, and MOS 71 B 20/30, and to find a way of predicting course completion times, if possible,

The research was conducted by Dr. T. O. Jacobs, Director of HumRRO Division No. 4. SP5 Thomas M. Meierhofer of the colocated U.S. Army Infantry Human Research Unit assisted with the statistical analysis. This Unit is commanded by LTC Willys E. Davis.

HumRRO research for the Department of the Army is conducted under Contract DAHC 19-70-C-0012. Training, Motivation, and Leadership Research is conducted under Army Project 2Q062107A712.

	Accession For
	MTIS GRAMI DDC TAB Unamnounced Justification
ĺ	By
	Availability Codes Available and/or
	Pist special

Table of Contents

	Page
Intro	duction
Metho	d
Resul	ts
Discu	ssion
Summa	ry
Appen	dices
	Correlations Among Predictor Variables, and Between
	Predictor Variables and Dependent Variables 39
В	Regression Coefficients and Multiple Correlations Between Predictors and Dependent Variables
Table	s
1	Description of Variables
2	Number of Subjects by MOS and Training Center 4
3	Means and Standard Deviations of Predictors and Dependent Variables-MOS 71 B 10
4	Means and Standard Deviations of Predictors and Dependent Variables-MOS 71 H 20
5	Means and Standard Deviations of Predictors and Dependent Variables-MOS 71 B 20/30
6	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 10 - Fort Knox
7	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 10 - Fort Jackson
8	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 10 - Fort Wood
9	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 10 - Fort Dix
10	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 10 - Fort Polk
11	Betas and Multiple Correlations to Variable Solutions, MOS 71 H 20 - Fort Knox
12	Betas and Multiple Correlations to Variable Solutions, MOS 71 H 20 - Fort Jackson
13	Betas and Multiple Correlations to Variable Solutions, MOS 71 H 20 - Fort Wood

	•	P	age
14	Betas and Multiple Correlations to Variable Solutions, MOS 71 H 20 - Fort Dix		26
15	Betas and Multiple Correlations to Variable Solutions, MOS 71 H 20 - Fort Polk		28
16	Betas and Multiple Correlations to Variable Solutions, MOS 71 B 20/30 - All Posts Combined		30
17	Booklet 12-11, MOS 71 B 10, Fort Jackson		33
18	Computation of Sample Scores		36

An Analysis of Completion Times at Various Army Training Centers of Programmed Instruction Materials for MOS 71 B 10, MOS 71 H 20, and MOS 71 B 20/30

INTRODUCTION

In October 1971, HumRRO assistance was requested by the U. S. Army Adjutant General School to conduct an analysis of possible differences in completion times at the various Army Training Centers of programmed instruction materials leading to award of MOS 71B10, MOS 71H20, and MOS 71B20/30. Preliminary analyses of course completion times had indicated that differences probably exist. These differences had proven to be an administrative problem, in that they made difficult the expedient assignment of students on completion of MOS training. The request for HumRRO assistance was to determine the extent to which differences did exist among the Training Centers in course material completion time, and to find a way of predicting course completion times, if possible. The present Consulting Report presents the results of the study that was conducted in response to this request.

METHOD

In order to accomplish the objectives set for the research, it appeared desirable to confirm, first, that differences in course completion times did, in fact, exist among the Training Centers, and then to determine whether differences in course completion times, if they existed, could be attributed to differences in quality of input to the courses.

Accordingly, data were collected by the Training Centers, at the request of the Adjutant General's School, starting approximately at the beginning of the first quarter of Calendar Year 1972. The data consisted of potential predictor variables, on the one hand, and hours required for completion of the various subparts of the course materials, on the other hand. These variables are shown in Table 1. As can be seen from examination of the table, the predictor variables consisted, in the main, of selected aptitude area scores from students' Forms 20. In addition, years of education, entry typing speed, and entry error were recorded. For dependent variables, the table shows, in addition to the various subparts of the course: the EOC Test; Sum C+CT (the sum of hours spent initially on Text and Criterion Test); the sum of the hours of retake, on the average; the average lesson at which the first retake occurred; the number of lessons completed, on the average; and the EOC typing speed and error scores.

Table 2 shows the number of subjects on whom data were collected at each of the Training Centers for each of the MOS's. For 71B20/30, the number of subjects available from the various training centers was too small to permit independent analyses, with the result that they all were combined into one pool.

والملكية المنافعة والمناورة

Table 1
Description of Variables

Variable	Description
Predictor	
VE	Verbal. Measure of general learning ability. Highly related to academic success.
PA	Pattern Analysis. General measure of ability to visualize spatial relationships.
MA	Mechanical Aptitude. General measure of mechanical ability.
ELI	Electronics Information. Measure of interest and aptitude, not at the level of the experienced worker in such jobs, but at the level of the young man who can learn to do such jobs.
GIT	General Information Test. Complex test that spans both the general learning ability and mechanical areas.
CI	Classification Inventory. Description of the man what he has done, what he likes to do, and how he sees himself as a leader.
ARC	Army Radio Code Aptitude Test. Measures perceptual speed and accuracy. (Auditory perception)
ED	Years of education.
AR	Arithmetic Reasoning. Measure of general learning ability. Highly related to academic success.
ENTRY T.S.	Entry Typing Speed.
ENTRY ERROR	Entry Error Score.

Table 1 (Continued)

Description of Variables

Variable	Description
ependent	
12-21 etc.	Texts and Criterion Tests for MOS Training
EOC Test	End of Course Test
Sum C+CT	Sum of Hours spent initially on text and Criterion Test
Sum Retake	The sum of hours spent in retaking portions of courses
1st Retake	The average lesson at which the first retake occurred
Lessons	The number of lessons completed, on the average (reverse side of data sheet)
EOC T.S.	End of Course Typing Speed
EOC Error	End of Course Error Score
I	Initial
Т	Total

Table 2

NUMBER OF SUBJECTS BY MOS AND TRAINING CENTER

Training Center	71 B 10	71 H 20	71 B 20/30*
Fort Jackson	46	22	
Fort Polk	32	25	
Fort Wood	24	28	
Fort Knox	54	42	
Fort Dix	41	32	
ALL POSTS COMBINE	0		51

^{*}Number of subjects available for this MOS at each post too small for independent analysis.

all operation the second section of the second

The analysis proceeded in two steps. In the first, analyses of variance were rum on both the predictor variables and the dependent variables. The predictor variables were included in the analysis to determine if there were significant differences among the Centers in the quality of the input, as measured by the scores shown in Table 1. The analysis of dependent variables was, of course, intended to determine whether there were, in fact, significant differences among the Training Centers in time required for course completion.

The second major step in the analysis involved computing correlations among the predictor variables and the dependent variables to determine whether any differences among Centers in average amounts of time required to complete the course could be predicted from a knowledge of differences in input quality of trainees.

RESULTS

As was noted above, each of the predictor variables was submitted to an analysis of variance. Table 3 presents the means and standard deviations of the predictor variables and the dependent variables for MOS 71B10. Similar data are presented in Table 4 for 71H20. Table 5 shows insufficient cases were available from the various Training Centers to prepare the same kind of Table for MOS 71B20/30. However, Table 5 shows the overall means and standard deviations for this MOS, all Training Centers combined.

Examination of Table 3 shows that there are several differences from Training Center to Training Center in the means for the predictor variables, and also for many of the dependent variables. The result of the analysis of variance test are shown in the last column of each table. In this last column, two numbers appear. The first is the F ratio, the last step in the analysis of variance, which is used to determine whether observed differences are significant. The second number, designated p, is the significance level itself. The number indicates the number of times in 100 that differences of any given magnitude would have been expected to occur by chance. Thus, for VE, for MOS 71B10, the probability is .05. This indicates that differences among means this large would be expected to occur less than five times per hundred, by chance alone. This level of significance is conventionally used as the borderline between significant and non-significant findings, with a smaller probability indicating a higher level of significance.

Examination of Table 3 shows that there were significant differences among Training Centers in three of the possible predictor variables - VE, MA, and GIT. The first two of these were significant at the .05 level, while the third was significant at the .01 level. In addition, it should be noted that differences in entry typing speed were highly significant between the Training Centers. On the other hand, differences in education level were not.

William Course State Committee to

TABLE 3

Means and Standard Deviations of Predictors and Dependent Variables

MOS 71 B 10

		JAC) (N=4	JACKSON (N=46)	POLK (N=32)	k 2)	W00D (N=24)	D 4)	KNOX (N=54)	, t)	DIX (N=41)	(H	u	ſ
		١×	р	١×	D	١×	р	١×	מ	l×	ь	_	a .
	VE	113.80	20.11	105.91	19.05	115.08	14.54	116.24	18.48	119.29	13.96	2.79	.05
	PA	107.61	20.26	102.34	20.13	108.38	16.38	109.78	17.18	114.90	17.28	2.21	NS
	MA	108.63	15.21	104.53	17.62	110.50	14.32	106.26	15.99	114.49	12.94	2.48	.05
	ELI	99.05	21.95	91.25	27.52	99.04	23.15	100.81	21.31	106.76	20.15	2.17	NS
6	GIT	101.76	17.64	94.28	18.55	104.33	13.18	100.63	14.40	107.56	14.57	3.39	10.
	CI	101.93	22.60	100.31	20.41	104.88	24.41	16.66	22.71	105.05	17.83	.48	NS
	ARC	110.87	64.61	94.22	23.98	116.00	20.79	104.00	29.29	98.15	25.57	1.68	NS
	ED	12.88	1.84	12.00	2.48	12.58	2.30	12.89	2.69	13.61	2.40	2.17	NS
	AR	108.85	19.93	100.06	21.18	106.08	18.26	110.98	21.03	112.90	17.68	2.26	NS
	ENTRY T.S.	11.52	12.72	6.53	10.90	13.25	10.35	18.54	7.65	14.71	13.48	6.39	.001
	ENTRY ERROR	1.85	2.76	2.53	4.31	3.25	3.54	1.98	2.51	1.51	2.38	1.51	NS
	12-21 I	2.52 2.54	7.21	2.40	5.14	1.22	1.53	1.18	0.94 0.9 *	1.10	0.71	1.47	S
	12-22 I	2.28	2.29	3.15	1.52	No Data No Data	t ta	1.62	0.93	2.01	0.97	7.01	.001
	•	,											

| H

TABLE 3
Means and Standard Deviations of Predictors and Dependent Variables

MOS 71 B 10

	ŀ	.00	.00	.00	.00	.001	.001	.00	.00
LL.	4.58	4.62	9.00	8.08	13.01	12.35	5.25	22.33	10.22
	3.13	3.31 3.31*	2.64	3.77	2.24	6.59	1.81	4.20	19.55
DIX (N=41)	4.34	4.79	3.21	4.78	3.83	8.77	3.54	12.15	48.68
5	1.60	3.53	1.75	2.49 2.49*	2.22	5.53	2.38	2.36	15.20
KNOX (N=54)	4.59	5.90	3.10	4.63	4.08	8.59 9.01	4.12	6.47	43.85
,	1.45	1.87	1.65	1.41	1.87	2.68	1.92	2.99	10.10
W00D (N=24)	4.08	3.86	2.31	3.01	2.68	3.99	2.56 2.56*	6.94 7.84	29.74
\alpha	2.67	2.78	1.29	2.87	2.38	7.72	3.02 3.02*	2.82 2.82*	14.12
POLK (N=32)	6.51	5.27	3.20	5.67 5.67*	4.24	12.61	4.63 4.63*	6.92 6.92*	54.69
NOS 6)	3.53	4.21	3.36	8.18 8.12	6.51	15.16 15.05	4.31	4.46 5.16	38.05
JACKSON (N=46)	5.43	7.20	4.60 5.24	8.01 8.79	7.84 9.02	18.00 18.43	5.40	9.01 10.55	63.92
		H	⊢		⊢	⊢		⊢	+ CT
	12-17	12-6	12-13	12-23	12-9	12-11	12-4	EOC TEST	SUM C +

TABLE 3

MOS 71 B 10

Means and Standard Deviations of Predictors and Dependent Variables

(1)	٥	19 4.46	2.59	8.56	1.58	4.61
(-)	р	19		-	_	4.
1		4.19	3.36	68.9	8.33	2.24
DIX (N=41	١×	3.16	2.76	4.88	26.95	2.10 3.56
~ (٥	1.13 3.72 3.16	1.43 3.21	00.0	95.9	2.10
KNOX (N=54)	l×	1.13	1.43	00.00	27.13	2.85
	ъ	3.80	2.89	5.69	3.23	1.28
WOOD (N=24)	l×	1.98 3.80	1.79	7.38	23.00	1.58 1.28
	Ь	3.57	1.89	8.42	9.40	2.37
POLK (N=32)	l×	1.69	0.91	13.69	26.94	2.00
NO.	Б	6.87	2.82	8.03	7.15	2.00
JACKSON (N=46)	١×	4.85	2.48	8.17	25.78	2.41
		SUM RETAKE	1st RETAKE	LESSONS	E0C T.S.	EOC ERROR

TABLE 4

Means and Standard Deviations of Predictors and Dependent Variables

·	э. -	2.14 NS	0.68 NS	0.12 NS	0.21 NS	1.52 NS	0.73 NS	1.78 NS	2.71 .05	1.41 NS	0.27 NS	5.19 .001	5.28 .001	5.86 .001
32)	ъ	11.89	21.81	16.61	25.75	16.75	18.07	24.38	1.94	22.75	15.29	3.56	0.72	0.46
DIX (N=32)	l×	122.66	111.22	114.00	107.81	112.59	104.09	102.53	14.28	116.69	16.38	2.53	1.43	0.97
(;)	۵	14.16	14.08	14.24	18.34	12.00	22.18	24.19	2.02	17.67	8.43	1.75	* 0.0 *	0.95
KNOX (N=42)	×	121.26	112.71	112.40	109.43	111.95	105.64	111.21	13.17	116.24	18.71	2.00	1.4	1.09
3)	۵	13.99	17.05	13.89	15.99	17.46	22.89	25.95	1.88	13.01	11.41	4.23	0.79	0.64
W00D (N=28)	×	126.29	116.61	112.71	108.64	109.29	108.04	110.61	14.14	119.43	17.04	4.04	1.36 1.36*	1.25
) ()	۵	13.38	15.22	15.07	14.61	11.58	18.82	23.53	1.68	14.69	13.26	5.17	0.52 0.52*	0.44
POLK (N=25)	×	118.76	117.16	112.28	109.64	108.12	105.16	106.36	14.38	125.16	18.52	5.76	1.12	0.68 0.68*
SON 2)	۵	13.45	15.16	17.37	20.82	12.07	15.13	16.41	1.45	16.51	8.44	2.70	1.92 1.92*	1.19
JACKSON (N=22)	×	115.95	112.95	114.50	105.14	104.14	112.73	118.95	14.27	114.82	18.73	2.95	2.36	1.77
											T.S.	ENTRY ERROR	p=4 m-	
		VE	PA	Ψ	EL I	TI9 o	CI	ARC	ED	AR	ENTRY T.S.	ENTRY	12-1	12-2

H +

TABLE 4
Means and Standard Deviations of Predictors and Dependent Variables

		JACKSON (N=22)	NOS (?	POLK (N=25)		W00D (N=28)	(KNOX (N=42)		DIX (N=32)	2)	u	á
		×	ρ	×	Q	×	D	×	۵	×	р	-	•
12-3		1.73	1.55	0.69 0.69*	0.27	1.13	0.63 0.63*	1.17	0.76 0.76*	1.09	0.67	4.60	.0
12-7		6.95 7.50	7.11	4.79	1.77	3.90 3.90*	1.69 1.69*	3.00	1.91	4.33	2.29	7.59	.001
12-42	⊷ ⊢	3.55 3.55*	1.99	2.71	0.97	3.47	1.53 1.53*	2.69	1.59	4.03	3.15	2.58	.05
12-38		3.09	2.24	1.98 1.98*	1.58 1.58*	2.31 2.31*	1.35	2.00	1.30	2.44	1.79	1.90	NS
12-30	⊢ ⊢	3.64	2.26	2.93	1.30	3.11	1.41	2.55 2.55*	1.45	3.48	2.84	1.70	NS
12-45		3.18 3.45	2.06	2.34	1.54 1.54*	2.45 2.45*	0.93 0.93*	3.65	1.92 1.92*	2.41	2.32	3.11	.05
12-35		3.73 3.82	1.93	3.61 3.69	2.16	3.31 3.41	1.64	3.85	2.20	3.03	2.27	.50	NS
12-40		2.27	1.75	1.74	0.80	1.86 1.86*	1.45 1.45*	2.05	1.39	1.92	1.32	0.38	S.
12-44	⊢	2.59 2.59*	1.89	2.06 2.06*	1.42	2.15	1.71	1.54	1.33	2.01	1.81	1.83	NS

| = I*

TABLE 4

Means and Standard Deviations of Predictors and Dependent Variables

!	JACKSUN (N=22)	2)	POLK (N=25))(W00D (N=28)		KNOX (N=42))	DIX (N=32)	(32)	L	c
	IX	Ď	١×	ď	l×	٥	l×	Ъ	١×	р		×
	8.68 8.68*	6.77	6.64	4.20	5.26 5.26*	2.09	2.25	1.05	2.30	1.45	19.83	.00
	2.50	2.24	1.68	1.66	1.23	0.59	1.48	1.05	1.28	0.87	4.16	.01
	2.14 2.64	1.25	1.94 1.94*	0.83	2.51	1.10	1.60	1.06	2.84	1.95	5.72	.00
	11.73	7.34	8.62 9.02	1.77	10.62 10.85	3.73	7.32	3.10	10.68 13.36	5.46	7.72	.00
	59.41	18.50	43.54	7.01	45.63	10.72	37.60	8.82	44.16	13.91	12.10	.001
	2.27	4.45	0.99	5.06	0.43	0.93	0.00	0.00	4.47	5.20	7.22	.00
	2.82	4.32	2.48	4.66	2.64	5.31	0.00	0.00	3.94	5.03	0.55	NS
	0.00	0.00	4.68	7.67	7.32	5.84	0.00	00.00	1.41	4.44	7.33	10.
	27.77	5.17	32.28	9.03	26.86	7.09	27.88	8.85	30.84	10.78	2.33	SS
	2.86	2.25	2.68	1.70	1.75	1.65	2.31	1.83	4.47	3.68	5.83	.00

n [*

TABLE 5

Means and Standard Deviations of Predictors and Dependent Variables

MOS 71 B 20/30

			IL	Posts Co	All Posts Combined				
	l×	D			l×	Q		l×	ь
VE	119.02	15.51	12-27	⊢ 1	2.13	1.51	EOC	6.02	2.80
PA	109.82	20.09	;	(2.20	95.1	iesi (6.35	3.12
Æ	109.82	15.49	12-32		1.34 1.34*	1.76 1.76*	SUM C + CT	23.88	8.82
ELI	100.88		12-38	—	2.45	1.58	SUM RETAKE	0.58	1.93
617	105 22	15.40		-	2.45*	1.58*	1st RETAKE	1.06	2.63
	103 18	21 03	12-30	 -	3.76	2.22	LESSONS	0.37	5.66
, ç	9 9	66.12		- •	÷ 0.0	71.7	E0C T.S.	38.06	9.29
ARC	90.00	70.62	15-71	 - -	-08 -08 -08	.5 .5]*	EOC ERROR	3.14	2.03
ED	13.04	2.01	12_35	-	73 8	2 35			
AR	113.84	19.71	3-	• - -	4.55	2.35			
ENTRY T.S.	25.53	11.25	12-33		2.65	1.46			
ENTRY ERROR	3.65	3.12		_	6/.7	cc:-			

1 = I

Examination of the remainder of Table 3, in which the dependent variables occur, shows that student performance was highly significantly different on many of the subportions of the course, from Training Center to Training Center. For this analysis, the total time required for completion of the book was highly similar to initial time, and seemed a more realistic variable to use, because the interest of the Adjutant General School was focused on total time for course completion, rather than on initial time for booklet completion.

In addition to differences among Training Centers on the various subparts of the course, there were highly significant differences on the EOC Test, and on total hours for completion (Sum C+CT and Sum Retake). However, the differences among Training Centers on the EOC Typing Speed score were not significant.

Table 4 shows the results of a similar analysis for 71H2O subjects. Examination of differences between Training Centers in quality of input, the predictors, shows that the number of significant differences across centers is lower for MOS 71H20 than was so for 71B10. For MOS 71H20, there were significant differences only for education, and entry typing error. For the Army Classification Battery Aptitude Scores, none was significant. However, there were highly significant differences among Training Centers in time required to complete the subportions of the programmed instruction. Examination of the table shows that differences were either significant or highly significant for nine of the comparisons. In addition, differences for the EOC Test were highly significant, as was the case for EOC Typing Error. However, EOC Typing Speed did not demonstrate significant differences across Training Centers. Perhaps particularly noteworthy is the fact that the average number of hours spent in retake also differed very significantly from Training Center to Training Center. (The average number of hours spent in retake differed significantly for MOS 71B10, as well.)

Given that substantial differences existed on many of the programmed instruction books from Training Center to Training Center, the next step in the analysis was to attempt to identify possible ways of predicting these differences. Accordingly, correlations were obtained among the predictor variables, and between the predictor variables and the dependent variables, in turn. These correlations are shown in Tables A-1 through A-11.

Using these correlations, multiple correlations were then computed between the predictors, using only VE, PA, MA, ELI, GIT, CI, ARC, and ED, and the dependent variables. The multiple correlations, together with the B weights are shown in Tables B-1 through B-42, Appendix B. Examination of the multiple correlations in these tables reveals a very disappointing picture. For MOS 71B10, for example, a total of 65 multiple correlations was computed. That is, for each subportion of the course, e.g., Booklet

12-21, a multiple correlation was computed between the predictors and that variable for each of the Training Centers. Thus, there were thirteen dependent variables, with five correlations (one for each Training Center) for each variable. Of these 65, only 17 were significant. The picture is even worse for MOS 71H2O. There were, for this MOS, 18 dependent variables. There were 88 multiple correlations, allowing for missing data on two of the variables for one Center. Of these 88 correlations, only 9 were significant.

The lack of significance in the multiple correlations can be attributed, in part, to small sample sizes. That is, as the number of variables used to predict a dependent variable increases, the magnitude of the correlation required for significance also increases, unless sample sizes also increase. With the relatively small sample sizes in the present study, the obtained correlations were simply too low to reach significance. It is possible that with larger sample sizes, this would not have been the case.

However, examination of the B weights and of the correlations between predictors and dependent variables in Appendix A suggests that small sample sizes are only a part of the problem. There is no consistent pattern of correlations from one Training Center to another. That is, a given variable, VE, for example, correlates in one fashion with trainee performance at one Training Center, and in an entirely different fashion with trainee performance at another Center. Education, also normally a significant predictor, behaves in the same way. This suggests that while there are in many cases highly significant differences from Training Center to Training Center in student performance on various subportions of the instruction, for both of the MOS's under primary study, these differences may be a result of other factors than the predictor measures included in the present study.

It was clear at this point in the analysis that one of the major purposes of the project had not been achieved, i.e., to develop a means for predicting the differences in student performance from Training Center to Training Center. One final analysis therefore was initiated, the results of which are shown in Tables 6 - 16. For each of the two MOS's for which an adequate number of test subjects existed, the data were inspected for each of the dependent variables, and the two predictor variables that best predicted the dependent variable were then selected. (NOTE: This was a visual inspection only; it consequently is possible that the optimum set was not always chosen.) Multiple correlations then were run between those two predictor variables and the dependent variable. In the table, the key results are found in the columns labeled Predictors, r_{1.23}, and p. The "Predictors" column identifies which two of the original eight variables were selected to predict each of the dependent variables. The "r_{1.23}" column indicates the strength of the resulting multiple correlation, and the "p" column indicates whether the resulting correlation was significant. (NS represents "Not Significant," while a number indicates the level of significance of a correlation that did achieve significance.)

Complete with the state of the

TABLE 6

Betas and Multiple Correlations to Variable Solutions

df = 1/52			e.	MOS 71 B 10	ı	For	Fort Knox			N = 54
Variable	Predi	Predictors	သ	Correlations		æ	μ.		Œ	ء
×	x 2	×	r _{1.2}	r _{1.3}	r2.3	22	₂ 3	1.23		٠
12-21	CI	WA	24565	.10297	.43555	35851	.25912	.33875	6.74042	.05
12-22	CI	PA	30107	.22223	.22342	36915	.30470	.42291	11.32611	.01
12-17	VE	ARC	57882	47400	.55346	45623	22149	.60751	30.41727	.01
12-6	VE	GIT	54459	46598	.58670	41355	22335	.57384	25.53003	.01
12-13	ED	CI	47426	38319	.30165	39457	26417	.53699	21.07032	.01
12-23	ED	PA	36881	33770	.33848	28744	24041	.43266	11.97602	.01
12-9	ED	PA	50143	41074	.33848	40930	27220	.56306	24.13883	.01
12-11	ED	VE	47744	36922	.66617	41616	09199	.48234	15.76615	.01
12-4	GIT	ED	16065	26855	.34242	07782	24190	.27832	4.36640	.05
EOC TEST	VE	ED	34840	27125	.66617	30150	07040	.35233	7.37016	.01
SUM C+CT	VE	PA	51133	36627	.62432	46321	07708	.51486	18.75638	.01
SUM RETAKE	ΜA	GIT	26848	30841	.53078	14588	23098	.33227	6.45342	.05
1ST RETAKE	VE	ELI	42635	38985	. 50502	30803	-,23429	.47187	14.89530	.01
LESSONS					NO DATA					
EOC T.S.	PA	ARC	.26823	.24340	.48001	.19672	.14897	.29837	5.08179	.05
EOC ERROR	ELI	ARC	.25093	.27884	.34560	.17553	.21818	.32385	6.09289	.05

TABLE 7

itas and Multiple Correlations to Variable Solutions

			Betas	and Multiple	e Correlat	ions to Var	Betas and Multiple Correlations to Variable Solutions	ons		
df = 1/44				MOS 71 B 10		For	Fort Jackson		97 -N	
Variable	Predi	Predictors	ŭ	Correlations		٥	٩	,	9	۱
¥	x ₂	ж ₃	r _{1.2}	r _{1.3}	r _{2.3}	2	₃	^r 1.23	2 4	a .
12-21	GIT	ED	.20890	.22920	.25024	.16167	.18874	.27755	3.67233	NS
12-22	GIT	ARC	17342	15660	.02377	16979	15256	.23095	2.47906	NS
12-17	ARC	ED	21905	16236	10394	23850	18715	.28745	3.96318	NS
12-6	VE	ARC	26254	19768	.05396	25261	18405	.32047	5.03615	.01
12-13	GIT	CI	46720	46782	.65343	28186	28365	.51418	15.81341	.001
12-23	ED	VE	26472	19022	.55583	23007	06234	.26974	3.45278	NS
12-9	CI	ARC	25022	16866	.08529	23756	14840	.29064	4.05969	NS
12-11	CI	ELI	42401	32826	.54080	34837	13986	.44003	10.56514	.001
12-4	CI	ARC	27011	26580	.08529	24925	24454	.36376	6.71022	.01
EOC TEST	ED	PA	35281	26094	.14964	32095	21291	.41084	8.93499	.001
SUM C+CT	CI	ARC	27799	22784	.08529	26045	20563	.34533	5.95759	.01
SUM RETAKE	MA	VE	40936	39898	.57213	26921	24495	.45600	11.55117	1007
1ST RETAKE	MA	CI	29393	25702	.51153	22003	14447	.31907	4.98712	.01
LESSONS	ED	ELI	38914	36240	.13630	34618	31522	76867	14.58428	.001
EOC T.S.	ED	VE	.55179	.32886	.55583	.53397	.03206	.55243	19.32600	.001
EOC ERROR	PA	ARC	30822	14815	.03051	30398	13888	.33804	5.67643	.01

TABLE 8

Betas and Multiple Correlations to Variable Solutions

			beras	betas and Multiple Correlations to Variable Solutions	Correlat	lons to var	lable solut:	suoi		
df = 1/22			-	0 1/		104	FULL WOOD		Z	= 24
Variable	Predi	Predictors	11	Correlations		q	q	,	0	,
x ₁	x ₂	ж ₃	r _{1.2}	r _{1.3}	r2.3	2		1.23	4	ď
12-21	MA	ED	.27068	11323	.60171	.53110	43280	.43905	5.25347	.05
12-22					NO DATA					
12-17	CI	ED	35144	44385	.43551	19515	35886	.47735	6.49240	.05
12-6	PA	CI	30190	33605	.17187	25157	29281	.41755	4.64567	.05
12-13	ELI	CI	26782	45667	.36917	11489	41426	66895.	6.20325	.05
12-23	CI	ARC	61261	59417	.31490	47234	44543	.74433	27.32994	.01
12-9	GIT	ED	65919	55278	.46774	51283	31291	.71486	22.99182	.01
12-11	MA	ED	33059	47449	.60171	07067	43197	.47784	6.50948	.05
12-4	GIT	ED	30521	41479	46774	14234	34821	.43345	5.08953	.05
EOC TEST	5	ARC	31095	45623	.31490	18570	39775	.48909	6.91730	.05
SUM C+CT	ARC	ED	41635	40830	.45167	29138	27669	.48403	6.73145	.05
SUM RETAKE	PA	ELI	28926	32156	.70826	12343	23414	.33316	2.74671	NS
1ST RETAKE	VE	ED	36187	21633	.59098	35962	00380	.36188	3.31527	NS
LESSONS	VE	ED	58890	52576	.59098	42749	27312	.62877	14.38442	.01
EOC T.S.	VE	CI	.50268	.35289	.32713	.43365	.21103	.54079	9.09346	.01
EOC ERROR	VE	CI	30117	19616	.32713	26540	10934	.31840	2.48196	NS

TABLE 9

Betas and Multiple Correlations to Variable Solutions MOS 71 B 10

	df = 1/39				MOS 71 B 10		Ē	Fort Dix) 2	5
	Variable	Predi	Predictors		Correlations						
	x I	x 2 ·	x 3	r _{1.2}	r _{1.3}	r2.3	B ₂	E B	r _{1.23}	(Sea	<u>α</u>
	12-21	PA	CI	.29206	.22558	.08062	.27567	.20336	.35551	5.64203	.05
	12-22	ARC	ED	.37605	.35632	.35218	.28604	.25558	.44568	9.66691	.01
	12-17	PA	ED	41406	43181	.31604	-, 30839	-, 33435	.52160	14.57636	.01
	12-6	MA	ARC	33060	34790	.15486	28352	30399	.44665	9.71908	.01
15	12-13	GIT	ED	46231	49736	.45740	29694	36154	.56311	18.10890	.01
)	12-23	ARC	ED	32351	47630	.35218	17782	41367	.50454	13.31812	.01
	12-9	ARC	ED	24042	49316	.35218	07619	46633	.49829	12.88182	.01
	12-11	ARC	ED	59556	57192	.35218	44995	41346	.71024	39.69818	.01
	12-4	ARC	ED	38373	52094	.35218	22862	44042	.56317	18.11469	.01
	EOC TEST	VE	ARC	58342	55145	.43821	42300	36609	.66982	31.73728	.01
	SUM CHCT	ARC	ED	48920	59682	.35218	31852	48464	.66713	31.27843	.01
	SUM RETAKE	PA	ARC	50387	60294	.29344	35775	49796	.69318	36.07217	.01
	1ST RETAKE	VE	GIT	37272	31422	.39267	29479	19847	.41501	8.11484	.01
	LESSONS	ARC	ED	44347	-,41503	.35218	33940	29550	.52264	14.65659	.01
	EOC T.S.	ARC	ED	.33392	.38455	.35218	.22659	.30475	.43915	9.31846	.01
	EOC ERROR	ELI	CI	16056	-,33555	.23415	08675	31524	.34599	5,30339	.05

TABLE 10

Betas and Multiple Correlations to Variable Solutions

			מפומס	מוות שחדרדהדי	ב הסוובומר	דחוום בח גמו	beids and matchie corretations to variable corrections	CITS		
df = 1/30			~	MOS 71 B 10		For	Fort Polk			N = 32
Variable	Predi	Predictors	ŏ	Correlations		α	ď	1	5	۶
x ₁	x ₂	x ₃	r _{1.2}	r _{1.3}	r2.3	^D 2	₂ 3	1.23	4	J
12-21	VE	ED	.18195	.20907	.40483	.11639	.16195	.23460	1.74724	NS
12-22	PA	GIT	32251	55162	.56566	01541	54290	.55177	13.13110	.01
12-17	CI	ED	30281	27223	10342	33454	30683	.42992	6.80217	.05
12-6	EL I	ED	27684	31363	.17376	22927	27379	.38644	5.26672	.05
12-13	PA	MA	35936	43090	00889	11943	34873	.,43953	7.18335	.05
12-23	VE	ED	.22569	-,46915	.40483	.49708	67038	.65322	22,32832	.01
12-9	PA	ED	25139	44337	.05307	22850	43124	.49864	9.92781	.01
12-11	PA	ED	.15988	16029	.05307	.16886	16925	.23265	1.71673	NS
12-4	PA	GIT	40711	-,33995	.56566	31589	16126	.42828	6.73875	.05
EOC TEST	ELI	CIT	40064	37323	.68258	27314	18679	.42326	6.54733	.05
SUM C+CT	GIT	ED	28747	28057	.13625	25396	24597	.37685	4.96570	.05
SUM RETAKE	MA	ED	33539	36143	.08580	30664	33512	.47325	8.65807	.01
1ST RETAKE	GIT	ED	18875	38610	.13625	13872	36720	.40983	6.05591	.05
LESSONS	ARC	ED	34532	45970	.20324	26274	40630	.52679	11.52288	.01
EOC T.S.	ARC	ED	.15146	.33402	.20324	.08717	31630	.34475	4.04660	NS
EOC ERROR	MA	ARC	19787	.38954	.06157	22270	.40325	.44850	7.55388	.05

TABLE 11

Betas and Multiple Correlations to Variable Solutions

	df = 1/40			,24	MOS 71 H 20		Fort	Fort Knox		z	N = 42
•	Variable	Predi	Predictors		Correlations						
•	\mathbf{x}_1	x ₂	, x	r _{1.2}	r _{1.3}	r2.3	B ₂	B ₃	r _{1.23}	fz.	۵.
	12-1	ARC	ED	.38679	23356	.23201	.46607	34169	. 50998	14.05955	.01
	12-2	PA	CI	19480	25941	. 20309	14823	22931	.29725	3.87695	NS
	12-3	ARC	ED	46165	28069	.23201	41909	18346	76767.	12.97773	.01
	12-7	MA.	ARC	23955	45579	.11933	18784	43338	. 49247	12.80697	.01
20	12-42	ARC	ED	.32130	.31666	.23201	.26193	.25589	.40643	7.91500	.01
	12-38	WA	ELI	.21513	.24533	.37610	.14310	.19151	.27887	3.37307	NS
	12-30	PA	CI	16066	22187	. 20309	.21457	26545	.30556	4.11931	.05
	12-45	PA	GIT	21518	.17921	.33097	30826	.28123	.34166	5.28635	.05
	12-35	VE	CI	25474	32149	.27107	18088	27246	.36561	6.17184	.05
	12-40	G	ARC	15279	.06855	06314	14906	.05914	.16379	1.10271	NS
	12-44	PA	IJ	21302	18844	.20309	18227	15142	.25954	2.88904	NS
	12–39	PA	ED	.17521	.34813	70797	.01741	.34005	.34847	5.52866	.05
-	12-41	CI	ARC	21914	22758	06314	23444	24238	.32640	4.76965	.05
	12-43	VE	CI	24150	34072	.27107	16097	29709	.37430	6.51688	.01
	EOC TEST	GIT	CI	34664	33115	.37330	25913	23442	.40921	8.04531	.01

TABLE 11 (Continued)

Betas and Multiple Correlations to Variable Solutions

Wariable x ₁	Predi x2	Predictors x ₂ x ₃	r _{1.2}	Correlations r _{1.3}	r _{2.3}	B ₂	В3	r _{1.23}	Çz4	a .
SUM C+CT	PA	CI	20054	34346	.20309	13641	31576	.36852	6.28589	.05
SUM RETAKE					NO DATA					
1ST RETAKE					NO DATA					
LESSONS					NO DATA					
EOC T.S.	ARC	ED	.32207	.62080	.23201	.18817	.57714	.64722	28.83420	.01
EOC ERROR	ARC	ED	.29914	.31548	.23201	.23880	.26008	.39177	7.25247	.05

TABLE 12

Betas and Multiple Correlations to Variable Solutions

df = 1/20				MOS 71 H 20		For	Fort Jackson		N = 22	
Variable	Predi	ctors	CC	Correlations		p	6		ļ	
x	^x ₂ ^x ₃	×3	r _{1.2}	r _{1.3}	r2.3	2	P ₃	F1.23	¥4	գ
12-1	PA	CI	47162	42364	.27660	38381	31748	.56170	9.21872	.01
12-2	PA	CI	36415	18312	.27660	33947	08922	.37411	3.25465	NS
12-3	CI	ED	28184	43081	. 32195	15969	37940	.45657	5.26707	.05
12-7	PA	MA	49809	30019	.30897	44812	16173	.52130	7.46327	.05
12-42	CI	ED	55389	39891	.32195	47466	24609	06009.	11.30276	.01
12-38	VE	ED	55173	37284	.45118	48153	15558	.56893	9.57198	.01
12-30	PA	ED	27456	18346	.18863	24881	13653	.30555	2.05947	NS
12-45	MA	CI	.33822	28692	.10856	.37377	32750	.46945	5.65362	.05
12-35	PA	CI	56137	42307	.27660	48116	28998	.62673	12.93763	.01
12-40	MA	ARC	20042	15536	44014	16376	08319	.21388	.95873	NS
12-44	MA	CI	27573	28170	.10856	24807	25477	.37439	3.26040	NS
12-39	VE	MA	33211	34188	.33038	24601	26060	.41328	4.11957	NS
12-41	PA	ED	.51573	26170	.18863	. 58594	37223	.63214	13.31113	.01
12-43	VE	GIT	27558	48066	.66052	.07434	52976	.48389	6.11475	.05
EOC TEST	GIT	ED	24758	.16135	.15523	27936	.20471	.31968	2.27653	NS

TABLE 12 (Continued)

50. .05 NS .05 SN N = 22.97742 5.65140 5.38615 4.83654 2,31016 .46938 .46062 r1.23 .44129 .32179 ,21586 Betas and Multiple Correlations to Variable Solutions .21049 -,23230 .10710 .39867 -.25553 Fort Jackson В3 .10420 -. 39113 .16476 -.31697 -.11698 $^{B}_{2}$.22609 .60804 .66052 -.09037 .17886 NO DATA MOS 71 H 20 Correlations .46203 .24584 -.30957 .14435 -.31222 .34661 -.41015 -.27042 .18897 -.36267 GIT GIT ARC Predictors ದ ELI 1ST RETAKE ELI PA *****2 Æ Œ SUM RETAKE EOC ERROR df • 1/20 EOC I.S. SUM C+CT Variable LESSONS

TABLE 13

Betas and Multiple Correlations to Variable Solutions

			. חברמש	diring number	- corretar		cras and materpre conferations to valiable solutions	emo		
df = 1/26			-	MOS /1 H 20		Fort	Fort Wood		Z	= 28
Variable	Predictors	ctors	Ö	Correlations		p			ß	,
×	x ₂	ж ³	r _{1.2}	r _{1.3}	r2.3	2	_D 3	1.23	£4	۵
12-1	VE	MA	39988	35496	.40691	30613	23039	.45188	6.67135	.05
12-2	Ψ¥	ED	-,43189	41737	.26121	34651	- .32686	.53486	10.41841	.01
12-3	PA	ELI	ELI57125	44122	.53882	46995	18800	.59280	14.08692	.01
12-7	CI	8	ED23474	19690	.25981	19687	14575	.27370	2.10544	NS
12-42	VE	ED	36247	63922	.54178	02286	62683	.63951	17.99111	.01
12-38	PA	ELI	ELI44616	32126	.53882	38477	11394	.45637	6.83956	.05
12-30	CI	ARC	ARC .53008	44528	28260	.43933	32113	.61308	15.65804	.01
12-45	GIT	ដ	20220	25015	.31150	13763	20728	.28228	2.25104	NS
12-35	VE	ED	31756	33917	.54178	18940	23656	.37467	4.24587	.05
12-40	ARC	ED	34922	35496	.03232	33810	34403	. 49009	8.21905	.01
12-44	Æ	GIT	.09451	.25388	.23186	.03767	.24515	.25651	1.83123	NS
12-39	AA	ELI	.34225	.39345	.62998	.15649	.29486	.41179	5.30921	.05
12-41	VE	ELI	34572	.23262	.36568	49728	.41447	.51801	9.53531	.01
12-43	VE	CI	23942	63331	.12450	16310	61300	.65366	19.39670	.01
EOC TEST	MA	ED	30176	35219	.26121	22512	29339	.41384	5.37297	.05

TABLE 13 (Continued)

Betas and Multiple Correlations to Variable Solutions Fort Wood

Variable	Predictors	ctors	පි	Correlations		œ	æ	r,	Ç=4	Q.
vai taute X,	×	×	2,12	r _{1,3}	r2.3	22	-3	1,23		
-	7									
SIIM C+CI	VE	ED	25592	39564	.54178	05884	36376	.39872	4.91473	• 05
SIIM RETAKE	W.	ED	40306	-,60904	.26121	26184	54065	.65940	20.00231	.01
	*	ב	- 35323	62124	.26121	20494	56771	.65198	19.22317	.01
IST KEIAKE	E :	3 1	1000	18176	26121	24906	-,27675	.41789	5.50111	.05
LESSONS	¥	ED	32133	1016		37000	18752	60287	7.87214	.01
EOC T.S.	VE	GIT	.44796	. 30903	.31201	. 30942	70101.			;
EOC ERROR	CIT	ARC	.09271	.17180	06611	.10452	.17871	.20098	1.09442	Ç.

TABLE 14

Betas and Multiple Correlations to Variable Solutions

				_	MOS 71 H 20		Fort	Fort Dix			
	_						i			Z	= 32
	1	Predictors	ctors	ŏ	Correlations		æ	æ	3	ß	، ا
	×	x ²	x 3	r _{1.2}	r _{1.3}	r2.3	2	₂ 3	1.23	£4	a.
	12-1	MA	VE	40232	35498	.52076	0.29838	19960	.43692	7.07806	.05
	12-2	VE	ELI	44106	38025	.51245	-, 33388	20915	.47623	8.79936	.01
	12-3	VE	CI	17045	.11568	.13487	18950	.14124	.22054	1.53375	SN
	12-7	ELI	ED	14110	.22694	.62530	46471	.51752	.42780	6.72043	.05
26	12-42	ELI	CI	26549	.22195	.45350	76097"-	.43099	76997	8.36481	.01
	12-38	ARC	ED	28154	25857	.53871	20040	15061	. 30881	3.16255	NS
	12-30	ΜA	GIT	26756	34849	.64641	07265	30153	.35287	4.26683	.05
	12-45	GIT	ARC	24858	10629	.60740	29160	.07083	.25487	2.08412	NS
	12-35	W	ARC	40152	44951	. 70537	16807	33096	.46503	8.27765	.01
	12-40	VE	ELI	.30376	.30761	.51245	.19816	.20606	.35154	4.23019	.05
	12-44	VE	ED	20332	20897	. 56569	12516	13817	.23307	1.72322	NS
	12-39	PA	ELI	.29747	.30370	. 71144	.16484	.18643	.32504	3.54401	NS
	12-41	ELI	CI	.14007	.26950	.45350	.02247	.25931	.27024	2.36356	NS
	12-43	VE	ED	.16244	.16009	.56569	.10570	.10029	.18228	1.03106	NS
	EOC TEST	MA	ELI	.33499	.31747	.77549	.22276	.14472	.34723	4.11289	NS

TABLE 14 (Continued)

Betas and Multiple Correlations to Variable Solutions

Fort Dix

	Variable	Predi	Predictors	Ö	Correlations		æ	æ	,	<u>C</u>	٩
	×۲	*2	×	r _{1.2}	r _{1,3}	r2.3	2	£,	1.23	4	.
	SUM C+CT	GIT	CI	11287	.20986	.51440	30028	.36432	.33219	3.72109	SN
	SUM RETAKE	CI	ED	28448	25405	.43493	21458	16072	.31918	3.40291	NS
	1ST RETAKE	VE	CI	.30181	28399	.13487	.34641	33071	.44550	7.42839	.05
	LESSONS	Æ	GIT	21045	25873	.63745	07668	20985	.26539	2.27305	NS
27	EOC T.S.	VE	ED	.31321	.36498	.56569	.15698	.27618	.38726	5.29275	.05
	EOC ERROR	MA	CI	.17516	.15600	.49325	.12979	.09198	.19257	1.15534	NS

TABLE 15

Betas and Multiple Correlations to Variable Solutions
MOS 71 H 20 Fort Polk

				07 U T/ COM		IOI	FOIL FOIK			
df - 1/23									×	= 25
Variable	Fred	Fredictors	S	Correlations		ď	pr.	,	Ω	,
×	x ²	x ₃	r _{1.2}	r _{1.3}	r _{2.3}	2	₂ 3	1.23	4	<u>م</u>
12-1	PA	CI	.49336	38080	17204	.44090	30495	.57762	11.51614	.01
12-2	ELI	CI	13632	.14769	.22462	17850	.18778	.22818	1.26332	NS
12-3	PA	CI	.18406	.28692	17204	.24054	.32830	.37212	3.69671	NS
7-21 28	MA	IJ	.36451	49031	.06936	74004.	51808	.63245	15.33258	.01
12-42	ELI	ARC	35506	.39845	.36618	57854	.61030	72699.	18.71126	.01
12-38	MA	ED	.48145	.25211	.07964	.46432	.21513	. 52705	8.84635	.01
12-30	MA	ARC	.28896	.29761	.26697	.22559	.23739	.36856	3.61524	NS
12-45	GIT	CI	36188	24851	.36769	31279	13350	.38258	3.94375	NS
12-35	GIT	ED	48482	18886	. 59961	58017	.15901	.50124	7.71765	.05
12-40	GIT	CI	36436	.29721	.36769	54769	.49859	.58970	12.26204	.01
12-44	VE	PA	43383	38527	33066	34405	27151	. 50385	7.82547	.05
12-39	ARC	ED	32505	32252	.15988	28066	27765	.42518	5.07533	.05
12-41	VE	ED	.31640	.29652	.64249	.21439	.15878	.33899	2.98614	NS
12-43	VE	CI	.33252	.22423	.26485	.29374	.14643	.36126	3.45224	NS
EOC TEST	VE	Æ	.13591	.18173	.25218	.09620	.15747	.20419	1.00062	NS

TABLE 15 (Continued)

Betas and Multiple Correlations to Variable Solutions

			Z	MOS 71 H 20		For	Fort Polk			
Variable	Predi	Predictors	လ	Correlations		p	p	:	9	
x ¹	*2	x ₃	r _{1.2}	^r 1.3	r2.3	₂ 2	₃ 3	^F 1.23	L 4	a.
SUM C+CT	MA	GIT	.24082	39108	.31233	.40220	51670	.54674	9.80694	.01
SUM RETAKE	VE	PA	38281	29430	.33066	32054	18831	.42205	4.98485	.05
1ST RETAKE	CI	ARC	.38338	42683	11588	.33846	38761	.54333	9.63353	.01
LESSONS	VE	ARC	.41972	.25078	.38574	.37944	.10441	.43063	5.23627	.05
% EOC T.S.	PA	Æ	23556	.25759	.23981	31548	.33324	.40019	4.38596	.05
EOC ERROR	ARC	ED	29264	18181	.15988	27049	13856	.32303	2.67960	NS

TABLE 16

Betas and Multiple Correlations to Variable Solutions

			_	MOS 71 B 20/30	0/30	A11 Po	All Posts Combined			
df = 1/49						:			z	N = 51
Variable	Predi	Predictors	3	Correlations		P	f			
x ₁	x ₂	x ₃	r _{1.2}	r _{1.3}	r2.3	₂ 2	₃ 3	^r 1.23	24	Q.
12-27	ΡA	ARC	12180	16359	.30813	07888	13928	.17998	1.64041	NS
12-32	VE	PA	20186	15524	.56197	16753	06110	.20809	2.21780	NS
12-38	VE	CI	07696	05336	.26533	06756	03543	.08420	.34989	NS
12-30	ELI	ARC	.14766	09621	.27169	.18765	14719	.20462	2.14128	NS
12-31	PA	ARC	20855	22480	.30813	15389	17738	.26827	3.80000	NS
12-35	PA	ARC	30896	34111	.30813	22524	27171	.40283	9.49153	.01
12-33	CI	ARC	.10635	.10181	.20660	.08912	.08340	.13405	.89657	NS
EOC TEST	VE	ARC	31942	41366	.25122	23002	-,35588	.46977	13.87560	.01
SUM C+CT	VE	ARC	23985	25036	.25122	18887	20291	.31000	5.20968	.05
SUM RETAKE	CIT	ARC	27855	30226	.27263	21189	24449	.36459	1.51171	.01
1ST RETAKE	W.	ARC	28515	25842	.42189	21426	16803	.32329	5.71912	.05
LESSONS	GIT	CI	.25772	.27235	.35325	.18454	.20716	.32246	5.68628	• 05
EOC T.S.	VE	ED	.24001	.30942	.66301	.06221	.26818	.31290	5.31827	.05
EOC ERROR	MA	ELI	24035	09317	.66301	31865	.11810	.25609	3,43919	NS

Inspection of the results of this analysis leads to conclusions much like those from the preceding analysis using the full set of predictor variables, except that many more of the multiple correlations from the present analysis proved to be significant. However, examination of the variables that yielded the best prediction shows that for any particular part of the course, or even for the course as a whole, there is remarkable inconsistency from Training Center to Training Center. This inconsistency suggests that the present results probably are largely attributable to chance. That is, if the whole study were to be repeated, it probably would be found that different variables would be selected next time, and that the ones selected in this analysis would no longer be the best predictors, and perhaps not even good predictors.

DISCUSSION

Two major findings have emerged from this study. One is that there are in fact some highly significant differences from Training Center to Training Center in student performance on the various subportions of the instruction for MOS 71B10 and MOS 71H20. (The number of students available for MOS 71B20/30 was too small to permit analysis in this manner.) The number of these differences, and the very high levels of significance achieved by these differences leave no doubt that they are real.

On the other hand, it is equally clear that present efforts to determine the reasons for such differences have not been overly successful. While differences exist from Center to Center in the quality of student input to the courses, these differences in student input quality seem not to be related to the quality of the student's performance on the course, as measured by hours for completion of the various parts of the course. The second of the two different multiple correlation analyses did yield a number of significant relationships between input (or predictor) variables and dependent variables. However, the variability in the predictors chosen, from Center to Center, suggests that there is a substantial degree of unreliability in the findings, and that the results must be used with a great deal of caution. With this caution, the following steps outline the procedure for using the findings in Tables 6-16 to predict student completion times for each subportion of the course, for each of the Training Centers.

For any prospective student's predicted score on any of the dependent variables, the following equation is used:

$$x = \beta_2 \frac{\sigma_1}{\sigma_2} x_2 + \beta_3 \frac{\sigma_1}{\sigma_3} x_3 + (M_1 - \beta_2 \frac{\sigma_1}{\sigma_2} M_2 - \beta_3 \frac{\sigma_1}{\sigma_3} M_3)$$

In this equation, the following definitions apply:

- X = the student's predicted score on the dependent variable, as, for example, the number of hours to complete the course.
- β = a beta weight. These are taken from the columns of Table labeled B. Please note that the correct B, as indicated by the subscript, must be used, corresponding to the variables in the columns under "Predictors".
- σ = standard deviation of the variable concerned.
- X₂, X₃ = the student's raw score on the "Predictor". This is obtained from his Form 20.
- M = the mean of the variable concerned. Both the means and the standard deviations can be obtained from Tables 3-5.
- Step 1. Write down the equation (or, alternatively, use a computer, in which case all the following steps would be done by the programmer) so that the values can be inserted.
- Step 2. Depending on which training center is involved, go to the appropriate Table (Tables 6-16) that contains the Betas and multiple correlations for that training center. Use the above formula for prediction only if the multiple correlation is significant. If the correlation was significant, as indicated by the presence of a number in the last column of the table, then copy in the betas corresponding to the variables identified in the columns under "Predictors".
- Step 3. Go to Tables 3-5 and copy in the means and standard deviations of the appropriate variables.
- Step 4. Go to the student's Form 20, and copy in the Aptitude Area scores identified under "Predictors" in Table 1.
- Step 5. Perform the calculations required to solve the equation.

These steps are illustrated in Table 17 for booklet 12-11, for MOS 71 B 10, for Fort Jackson, as a guide for applying the above steps.

TABLE 17

Illustrative Example

Booklet $12-11_T$, MOS 71 B 10, Ft. Jackson

Step 1.

$$X_1 = \beta_2 \frac{\sigma_1}{\sigma_2} X_2 + \beta_3 \frac{\sigma_1}{\sigma_3} X_3 + [M_1 - \beta_2 \frac{\sigma_1}{\sigma_2} M_2 - \beta_3 \frac{\sigma_1}{\sigma_3} M_3]$$

Step 2. For variable 12-11_T, the correlation (.44003) was significant (.001). The "predictors" were CI and ELI. The values are then inserted in the equation as follows:

$$\mathbf{X} = (-.34837) \frac{\sigma_1}{\sigma_2} \mathbf{X}_2 + (-.13986) \frac{\sigma_1}{\sigma_3} \mathbf{X}_3 + [\mathbf{M}_1 - (-.34837) \frac{\sigma_1}{\sigma_2} \mathbf{M}_2 - (-.13986) \frac{\sigma_1}{\sigma_3} \mathbf{M}_3]$$

Step 3. From Table 3, the means and standard deviations are next copied in: (Note that M and σ refer to the predicted or dependent variable, 12-11 $_{\rm T}$. Also that X $_2$ refers to CI, and X $_3$ to ELI.)

$$X = (-.34837) \frac{15.05}{22.60} X_2 + (-.13986) \frac{15.05}{21.95} X_3 + [18.43 - (-.34837)]$$

$$\frac{15.05}{22.60}$$
 (101.93) - (-.13986) $\frac{15.05}{21.95}$ (99.02)]

Note that insertion of means and standard deviations completes the formula, with the exception of the student's raw scores. These are obtained from the student's Form 20.

Step 4. One student's data were selected at random from data sheets collected during this project. His scores were:

$$CI = 92 = X$$

$$ELI = 112 = X_3$$

TABLE 17 (cont'd)

These are now inserted in the formula:

$$X = (-.34837) \frac{15.05}{22.60} (92) + (-.13986) \frac{15.05}{21.95} (112) + [18.43 - (-.34837)]$$

$$\frac{15.05}{22.60}$$
 (101.93) - (-.13986) $\frac{15.05}{21.95}$ (99.02)]

X = 19.49 Student's actual hours = 14.

The worked-out example in Table 17 shows not only the computational procedures but also will serve as a check for someone attempting to duplicate the computation, to confirm that the correct tables and columns are being used for the necessary data to complete the computations.

As a further illustration of the problems that might be associated with depending too heavily on these regression equations, however, ten additional students were selected, and their CI and ELI scores processed through the computation. The results are shown in Table 18. If the predicted score (total hours, including hours of retake) for each student is compared with his actual score, it is apparent that the errors of prediction are rather high. Put another way, there are many factors operating to determine how many hours the student will take on any particular subportion of the course. The two selected predictors are only a part of the total set of factors. Consequently, they predict only a part of the student's performance, and there will be errors of prediction because this is so. The more important the other factors are, the greater these errors will be. (An index to the importance of these other factors can be found by squaring the entry in the column labeled r₁, 23, in Tables 6-16. The size of the resulting number, in comparison to 1.00, shows the importance of the two predictors in relation to all factors.)

It is clear that the accuracy of prediction from the present data is not overwhelming. This, of course, raises a question as to why. Three possibilities immediately suggest themselves:

- a. The number of students in the samples available for regression analysis was simply too small to permit an adequate level of stability in the results. (This is probably at least a part of the problem.)
- There may be administrative differences between the centers, and administrative factors that even affect students differently within a given center. For example, it is quite conceivable that differences in administration procedures could make substantial differences in the training time required for any subportion of the course, and for the course as a whole, from center to center. Similarly, major differences from center to center could also be produced by administrative differences in what happens to the student if he finishes the materials early. If the student were to be allowed free time for completing the materials early, or an early leave at the end of all of the materials, then he might well be highly motivated to complete the materials at his best pace. On the other hand, if he is used for work details, or if he is assigned to a casual company at the end of early completion of the course materials as a whole, then he might well turn out to be a "slow learner". (There is already some evidence, from earlier research, to support this as at least one factor.)

TABLE 18
ILLUSTRATIVE EXAMPLE
Computation of Sample Scores

				_		
	11	107	86	17.29	31	-13.71
	10	92	118	18.85	12	6.85
	6	121	72	16.54	12	4.54
	8	92	72	26.98	7	19.98
	7	88	104	21.12	18	3.12
	· 0	133	120	9.15	∞	1.15
	5	118	104	14.22	7	10.22
-	7	84	88	23.65 14.22	9	17.65
	3	06	101	21	5	16
-	2	86	507	19.15	11	5.49 6.15
		92	112	19.49	14.00 11	5.49
		10	ELI	PREDICTED 19.49 19.15	ACTUAL	ERROR
				36		

c. The problem of attempting to predict performance on programed instruction is not typical of the kinds of problems normally solved by such statistics. It is possible that the basic principle of programed instruction, that the student proceeds at his own pace, exchanging time for a lack of input ability, or the reverse, is counter to the whole assumption that performance can be predicted. (This is difficult to accept, however. There may very well be an unusual distribution of student performance results, i.e., not normal, which would make prediction more difficult, and less accurate. This needs to be investigated further.)

It is probable that the present set of results should be interpreted as interim results, and that additional data should be collected. With a considerably larger sample, it would be possible to do a considerably better job of determining where the problems are in making prediction more accurate. Further, with a larger sample, it would be possible to increase the number of predictors used, and that also would increase the precision of the results.

SHMMARY

In this research, there were two basic problems. One was to determine if there was significant variation from training center to training center in the performance of students on the programed materials for MOS 71 B 10 and MOS 71 H 20, and then to attempt to determine the reasons for such variation if found. The findings were:

- a. When student performance was compared across training centers, both for hours to complete individual subportions of the course and hours to complete the total course, a substantial number of highly significant differences were found. (For MOS 71 B 10, nine of 10 comparisons across training centers were significant at the .01 level or better. For MOS 71 H 20, of 16 comparisons two were significant at the .05 level and nine at the .01 level or better.) This indicates a pattern of very major differences from center to center.
- b. When multiple regression analyses were conducted to attempt to predict the sources of the variation in performance, the results were not encouraging. Many of the correlations were not statistically significant when all the possible predictors were used, and errors of prediction can be expected to be high when only two predictors are used in the alternative approach outlined above. This suggests that there probably are large unmeasured factors at work to produce the differences found between training centers. Differences in administration conditions, and administrative policies concerning what happens to students when they finish work on the programed materials were mentioned as possible factors.

· . A 14.58 4. *

c. A probable additional contributing factor is almost certainly the small sample sizes available for the present analyses. In order to obtain greater predictive precision, it was suggested that larger sample sizes be accumulated, so as to obtain greater stability in the samples, and permit the use of more variables in the predictor equations. Both outcomes would increase the precision of the results.

APPENDIX A

Correlations Among Predictor Variables, and Between
Predictor Variables and Dependent Variables

TABLE A-1

Correlation Matrix for Predictors MOS 71 B 10 -- Fort Knox

	VE	PA	MA	ELI	GIT	IJ	ARC	ED	AR	ENTRY T.S.
PA	.62432									
MA	61109.	.43672								
ELI	.50502	.57433	.49847							
GIT	.58670	.49082	.53078	.53642						
5 41	.42327	.22342	.43555	.36389	.51290					
ARC	.55346	.48001	.31022	.34560	.22779	.12428				
ED	.66617	. 33848	.32179	.28344	.34242	.30165	.49085			

FRECEDING FACE BLOOK-NOT FILLS

N = 54 df = 52

.10972

-.00287

-.10947

.19354

.09808

-.09116

.16950

.10367

17871.

.06039

ENTRY ERROR

.21642

.21749

.13900

.17303

.06897

.13543

.08364

.15755

.26129

ENTRY T.S.

.61956

.56928

.40567

.42679

.47596

.56518

.64844

.76369

TABLE A-1 (Continued)

Correlations Between Predictors and Dependent Variables

MOS 71 B 10 -- Fort Knox

Predictors	GIT CI ARC ED	0918824565 .00069 .01848	.1183930107 .0123502321	53115251814740041023 53554232674638342224	46107293143380744900 46598290663325045415	24193383313594247247 24767383193606047426	13648193342804636881	17670155433939950527 19613134344154250143	05710135592497048278 14774136392158247744	1960F 05E04 11733 - 23683
Pr	ELI	02518	.09584	28858	23915	10830	11809	19610	03048	04015
	MA	.10297	.12764	40819 40631	39777	26576 26412	16315	20031	11628	05004
	PA	.07607	. 22223 s (I)	48001	48851	27060	33770 s (I)	36156	16619	06100
	VE	.09150 Same as	.11947 Same as	57882 56479	54225 54459	36784	36448 Same as	37413	30589	76100
	Variables	12-21	12-22 I	12-17 I T	12-6 I T	12-13 I	12-23 I	12-9 I T	12-11 I	1 1001

TABLE A-1 (Continued)

Correlations Between Predictors and Dependent Variables

MOS 71 B 10 -- Fort Knox

Variables	VE	PA	MA	ELI	Predictors GIT	CI	ARC	ED
 	EOC TEST I28072 T34840	14060	10631	09522	16122	20194	03467	22672 27125
•	51133	36627	27155	15158	32064	31533	22784	02893
ı	25546	19350	26848	21016	30841	.02242	04835	13634
•	42635	39107	31611	-,38985	37334	-,19182	19228	18001
~	No Data							
	.22113	.26823	.04968	.10264	.20689	.11763	.24340	.17518
	.01161	.21096	03863	.25093	.02430	08002	.27884	.03703

Correlation Matrix for Predictors TABLE A-2

MOS 71 B 10 -- Fort Jackson

		VE	РА	MA	ELI	GIT	CI	ARC	ED	AR	ENTRY T.S.
	PA	.39720									
	MA.	.57213	.62787								
	ELI	.38536	. 59305	.60332							
	617	.43865	.42719	.69117	.56271						
44	CI	.28605	.22183	.51153	.54080	.65343					
	ARC	.05396	.03051	.01336	07280	.02377	.08529				
	ED	. 55583	.14964	.19227	.13630	.25024	.10698	10394			
	AR	.73362	.55272	.55061	.37158	.50673	.30555	.05177	.54111		
	ENTRY T.S.	.37273	.19598	.29984	.20209	.23393	.22086	.19853	.55716	.45361	
	ENTRY	.10175	.19574	.18524	.27066	. 22382	.09731	.10065	.14086	.14356	.42948
	70 - 11										

N = 46 df = 44

TABLE A-2 (Continued)

Correlations Between Predictors and Dependent Variables MOS 71 B 10 -- Fort Jackson

.10961 .06698 .11260 .07042 .0722011894 .1226500751 14945 .00643 2493602173 2625401016 1511720138 1953917536
.04927 .03281 27126 27526

TABLE A-2 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 B 10 -- Fort Jackson

	ARC ED	1555327008 0636635281	2278402893	.0945137681	1325318630	2039938914	.21402 .55179	14815 .03502
	CI	10898 -	27799	31139	25702 -	21774 -	.10034	-,03241
Predictors	GIT	03387	15478	29825	17460	18606	.18015	01481
	ELI	00636	11897	30952	26883	36240	.02509	08595
	MA	12681 24812	14259	40936	29393	28070	. 28585	09667
	ЬА	17567	15236	21200	18699	32548	.11035	30822
	VE	04855 18188	.05122	39898	20841	37600	.32886	11145
Variables	100100	EOC TEST I	SUM C + CT	SUM RETAKE	FIRST RETAKE	LESSONS	E0C T.S.	EOC ERROR

TABLE A-3
Correlation Matrix for Predictors
MOS 71 B 10 -- Fort Wood

	VE	PA	MA	ELI	GIT	13	ARC	ED	AR	ENTRY T.S.
PA	.36437									
MA	.63375	.57149								
ELI	.56090	.70826	.63463							
617	.40077	. 42828	.50993	. 29244						
5 47	.32713	.17187	.36945	.36917	.47421					
ARC	.35016	.36927	. 59829	.24481	.60163	.31490				
60	86065.	.28696	.60171	.36993	.46774	.43551	.45167			
AR	.73568	.40647	.67247	.47769	.52310	.25805	.45868	.66923		
ENTRY T.S.	.60533	.35404	.46990	.52822	.24676	.42049	.17809	.60157	.46544	
ENTRY	.07473	.08902	.11405	.22202	12109	.18042	.24450	.38137	00370	.47516

Correlations Between Predictors and Dependent Variables TABLE A-3 (Continued)

MOS 71 B 10 -- Fort Wood

	100				Pre	Predictors			
variables.	30 les	VE	PA	MA	ELI	GIT	13	ARC	ED
12-21	н н	00380	05781	.27992	.04496	05135	10314	.06889	10911 11323
12-22	;	No Data							
12-17	1	20357	27433	32417	00820	30703 29192	34088	28948	41668 44385
12-6	⊢	.08816	19600	.00102	.00995	18720	33750	08825	22626 29074
12-13	- L	09832 09121	12211 21635	02525 03366	20757	07779	43087	.11161	23559
12-23	~ ⊢	46772 44730	04472	52853 52901	17705	26232 23769	61766 61261	57632	52331
12-9	⊣⊢	28841	.00732	33840	.01739	63842 65919	35262	47004 58127	48720
12-11	 	19693	07000	33360	.16782	29409	33466	38244	47655 47449
12-4	HH	34740 Same as	16304 (I)	01108	11360	30521	07317	16408	41479

442.4

TABLE A-3 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 B 10 -- Fort Wood

				Predi	Predictors			
7. 4.5			VA	1111	GIT	13	ARC	G
Variables	VE	PA	¥.	1		1		
EOC TEST I	.21780	11468	.07677	.23187	25639	18783	41951 45623	18238 22224
_	18771.	-,62920			0	35553	-,41635	40830
Wns	10574	19084	14201	.11733	39490		•	
T2 + 2					1	טטעפר	15778	17444
SUM	14226	28926	19311	32156	00654	- 10400		
RETAKE				i i	31300	- 01087	.18318	21633
FIRST	36187	09937	02786	10776	01660			
RETAKE				1	0000	15792	-,12102	52576
	- 58890	39941	42008	36966	08500.	30.00	•	
LESSONS			205.45	35110	.15522	.35289	.26418	.39767
E0C T.S.	.50268	. 24329	orcoc.	· · · ·			12558	12029
FOC FRROR	30117	05848	.05446	.04307	.00343	19616	. 12330	

TABLE A-4
Correlation Matrix for Predictors
MOS 71 B 10 -- Fort Dix

	ENTRY T.S.										.49309	
	AR									.27969	.06392	
	ED								.34302	.37953	.09296	
	ARC							.35218	.20329	.50897	.23388	
	CI						04483	10722	.05229	03230	12621	
	GIT					.32106	.43593	.45740	.57985	.22402	16720	
	ELI				.45052	.23415	.23412	86020.	.47961	06150	.05694	
	MA			.63777	.48335	.14777	.15486	.36431	.45400	05351	06439	
	PA		.49126	.53287	.56821	. 08062	. 29344	.31604	.63282	.27969	.06392	
٠	VE	.42389	.29885	.04650	.39267	36144	.43821	.51924	.36566	.34541	.07597	
		PA	MA	ELI	GIT	IJ 50	ARC	ED	AR	ENTRY T.S.	ENTRY	N = 41 $df = 39$

Correlations Between Predictors and Dependent Variables TABLE A-4 (Continued) MOS 71 B 10 -- Fort Dix

Predictors 2399604771 .07318 .09771 .21936 .20839 .2920604795 .07249 .10165 .22558 .21303 as (I)36143155353106239927100462151641406192163333742777067742324205745330602040225661 .0183034790 ar to (I) bIF. = 12287134354168954662901631389312299035241182104623101477411961258522355 .0192707893 .00370308001329124348 .0127409874 .00569261881859142610984417951 .067612618837960285912139652293 .0071858922341477302010040428210 .103383430620071155340040428210 .1033834306											
PA MA ELI GIT CI .2399604771 .07218 .09771 .21936 .2920604795 .07249 .10165 .22558 .2920604492 .05590 .20310 .07933 as (I)3614315535310623992710046414061921633337427770677405745330602040225661 .01830 ir to (I) DIF. = 1228713435416895466290163122990352411821046231014771258522355 .0192707893 .003701329124348 .0127409874 .0056908146142610984417951 .0676111855158951457320167 .1231337960285912139652293 .0071841477302010040428210 .10338		E0	15037	.35632	39550	36762	48544	46072	50584	56815	49315
PA MA ELI GIT .2399604771 .07018 .09771 .2920604795 .07249 .10165 .2496704492 .05590 .203103614315535310623992741406192162040225661228713306020402256612299035241182104662946231223903524118210462311938118551589514573201673796028591213965229320167379602859121396522932017155340040428210		ARC	.20839	.37605	21516	34790	38931 41196	30800	26188	58922 59556	34306 38373
Pred 2399604771 .07318 .2920604795 .07249 .2496704492 .05590 as (I) 361431553531062 414061921633337 228713435416895 228713435416895 2299022355 .01927 1258522355 .01927 1258522355 .01274 081461426109844 081461426109844 379602859121396 414773020100404		CI	.21936	.07933	10046	.01830	01631	.00370	.06761	.00718	.10338
. 2399604771 .07218 .2920604795 .07249 .2496704492 .05590 as (I) 361431553531062 414061921633337 228713435416895 228713435416895 2299022355 .01927 1258522355 .01274 081461426109844 118551589514573 379602859121396 414773020100404	edictors	GIT	.10165	.20310	39927	25661	46629	07893	17951	52293	28210 32990
23996 .23996 .29206 .29206 .36143 41406 12871 22871 22990 12585 13291 08146 11855 37960 41477	Pr	EL I	.07018	.05590	31062 33337	20402	16895 18210	.01927	09844	21396	00404
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		MA	04771	04492	15535 19216	33060 = 1	34354 35241	22355 24348	14261 15895	28591	15534 18715
VE .03948 .03722 .16562 Same as057071196426200 Similar2400324256308443237618614166104156241433		РА	,23996 ,29206	.24967 (I)	36143	05745 to (I) DIF	22871	12585	08146	37960	20071
		VE	.03948	.16562 Same as	05707	26200 Similar	24003 24256	30844	18614 16610	41562	36977
		les	⊷ +-	₩ ►		⊢	⊢			⊢	
Variables 12-21 12-22 12-22 12-6 12-13 12-23 12-9 12-4		Variab	12-21	12-22		12-6	12-13	12-23	12-9	12-11	12-4

TABLE A-4 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 B 10 -- Fort Dix

) de inch				Pre	Predictors			
Variables	VE	PA	MA	ELI	GIT	ΙϽ	ARC	ED
EOC TEST I	51582	28591 40155	10902	24722 26388	24878	.42564	33672	24158 30303
SUM C + CT	43738	28553	32750	20526	42395	.11984	48920	59682
SUM S RETAKE	39783	50387	37514	32804	49830	.06203	60294	33916
FIRST RETAKE	37272	27734	16112	05704	31422	02526	33740	22013
LESSONS	19475	17810	01952	.01294	27064	.01940	44347	41503
EOC T.S.	.18392	.24549	.13426	.16417	. 34238	.32583	.33392	. 38455
EOC ERROR	.12997	.08944	03389	16056	18478	33555	.00246	.07917

TABLE A-5

Correlation Matrix for Predictors

MOS 71 B 10 -- Fort Polk

,	ENTRY T.S.										.63809	
	AR									.26709	.28721	
	ED								.41213	.42216	.08464	
	ARC							.20324	.10984	.33502	.15208	
	IJ						.23788	10342	.31854	00831	.11795	
	GIT					.23427	00863	.13625	.60383	05358	03137	
	ELI				.68258	.18627	. 02724	.17376	.68963	07727	. 06955	
	MA			.70730	.61335	.41195	.06157	.08580	.59631	23749 -	.09005	
	PA		.68800	.77209	.56566	.21906	.12740		.64229	- 26709	.28721	
	VE	.61681	.62724	.69784	.56867	.18770	.20678	.40483	.67432	02819	.21233	
		PA	MA	ELI	GIT	:5 53	ARC	ED	AR	ENTRY T.S.	ENTRY	N = 32 $df = 30$

TABLE A-5 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 B 10 -- Fort Polk

		.24072 .20907	19324	28064 27223	14669 31363	.02015 .01976	46915	38067 44337	15046 16029	.25977
	ARC ED	15064 .2 ⁴	.0937419	0273628 0060227	.1396514 .1045531	36397 .03 308330]	.1200946	2842838 2073144	0898818 0873416	.02454 .2
		.1370018 .1237013								
S	T CI		16206275	53636781 95230281	46309688 52303985	39338033 55832330	78615558	59304479 876 .00993	43800885 81202371	99514852
Predictors	I GIT	376 .11535 505 .07102	16355162	70710636 19513952	99207463 58413523	39331093 11827658	17011786	59410593 58607876	15410438 11011812	15233995
	A ELI	351 .07376 154 .05605	38834163	53810707 52612495	37920992 70627684	51830393 39036418	54307170	56908694 70716586	.15454 368 .15110	18626152
	4 MA	147 .10851 333 .03454	25126888)1214638 17711526	55309979 33719706	36543518 33643090	76010643	34603569 13910707	301 .13046 388 .08668	18186
	PA .	365 .03447 195 .02833	2673132251 Same as (I)	18402012 53500177	500 .00553 57308037	92131365 18135936	.22569 .02760 Same as (I)	79919846 18725139	.16301 316 .15988	.0212240711 Same as (I)
	es VE	1 .25365 T .18195	I26731 T Same	I17184 T18535	1 .10600 T .00673	I28921 T32181	I .22! T San	I01799 T11187	I .04628 T .00916	I02122 T Same a
	Variables	12-21	12-22 I	I 21-21 54	12-6 I	12-13 I	12-23 I	12-9 I	12-11 I	12-4 I

TABLE A-5 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 B 10 -- Fort Polk

00930 16415 02993 18875 .09612 15543 38610 03265 .15821 .01177 .02619 .00622 34532 45970 03329 03933 .00181 02283 .02885 .15146 .33402 07642 19787 .05838 09908 07938 .38954 .18699	VE20184 Same04868	VE20184 Same as04868	Variables VE PA PA PA PA PA PA PA P	39592 10528 33539	18411	Predictors 617 437323 128747 118229	24562 12738	ARC .03253 09527	ED 25142 28057 36143	
15821 .01177 .02619 .0062234532 - 03933 .0018102283 .02885 .15146 19787 .058380990807938 .38954	10596		00930	16415	02993	18875	.09612	15543	38610	
03933 .0018102283 .02885 .15146 19787 .058380990807938 .38954	11301		03265	.15821	72110.	.02619	.00622	34532	45970	
.219787 .058380990807938 .38954	.14187		03329	03933	.00181	02283	.02885	.15146	.33402	
	.07861		07642	19787	.05838	09908	07938	. 38954	.18699	

TABLE A-6

Correlation Matrix for Predictors

MOS 71 H 20 -- Fort Knox

		VE	PA	MA A	ELI	GIT	10	ARC	ED	AR	ENTRY T.S.
	PA	. 59130									
	₩ ₩	.34428	.37447								
	ELI	.53212	.71091	.37610							
	GIT	.59051	.33097	.19795	.46663						
56	IJ	.27107	.20309	. 33299	.20613	.37330					
	ARC	.23292	.41213	.11933	. 24975	.01432	06314				
	ED	.50653	.46404	.15673	.33136	.27966	. 29863	.23201			
	AR	.70240	. 58341	. 29368	.51011	. 29644	.20223	.41292	.62247		
	ENTRY T.S.	.37750	.37224	.06257	.16990	.04088	.28394	.40568	.54942	. 39597	
	ENTRY	04617	14822	13481	25875	10437	09157	07248	.03438	02362	.10238
	N = 42 $df = 40$	_									

TABLE A-6 (Continued)

Correlations Between Predictors and Dependent Variables

MOS 71 H 20 -- Fort Knox

	Veine	9					Predictors			
	Var Tab les	<u>s</u>	VE	ΡA	MA	EL I	GIT	CI	ARC	ED
	12-1	⊢	14836 Same as	08731 s (I)	08183	.10206	05962	18480	.38679	23356
	12-2	⊢	03100 Same as	19480 s (I)	09733	17951	.06284	25941	11875	17466
57	12-3		24053 Same as	07343 s (I)	02042	03605	.11576	05634	46165	28069
	12-7		.10219 Same as	12133 s (I)	23955	20266	.10317	.10296	45579	.21299
	12-42	⊢	.22790 Same as	, 22035	.15929	.04293	.04865	.09266	.32130	.31666
	12-38		.07831 Same as	.04111	.21513	. 24533	.10143	02071	02921	.03975
	12-30		10936 Same as	16066	09045	06819	17562	22187	.01576	06159
	12-45		.00020 Same as	21518 s (I)	17084	05115	.17921	.11146	00534	11278
	12-35		25474 Same as	13241 (I)	22587	19340	02407	32149	18030	09291

TABLE A-6 (Continued)
Correlations Between Predictors and Dependent Variables

MOS 71 H 20 -- Fort Knox

	90140					Predictors			
Var	Variables	VE	PA	MA	ELI	GIT	CI	ARC	E0
12-40	40 T	.01199 Same as	.0119907184 Same as (I)	.03453	00902	06452	15279	.06855	01783
12-44	44 I	0578021302 Same as (I)	21302 (I)	19209	01196	.01434	18844	.12470	14474
12-39	39 I	.19194 .1 Same as (I)	.17521	06200	.14290	.04584	04441	.12977	.34813
12-41	1 L	02184 .05378 Same as (I)	.05378	96660.	.15887	12262	21914	22758	23633
12-43	43 I	23726	21 <i>77</i> 5 22021	07968	10431 11005	24594 24548	34510	20631	01909
EOC TEST	⊢	22148 Same as	.2214826041 Same as (I)	11660	24202	34664	33115	08429	-,10116
SUM	SUM C + CT	•	20054	18906	14435	10609	34346	-,14050	06408
SUM	SUM RETAKE	No Data							
1st	lst RETAKE	No Data							
LES	LESSONS	No Data							
E0C	EOC T.S.	.30820	.12829	.11512	04146	.09342	. 28909	.32207	.62080
EOC	EOC ERROR	.13716	.06038	18482	.04252	.10635	03089	.29914	.31548

201,704

Correlation Matrix for Predictors MOS 71 H 20 - Fort Jackson TABLE A-7

ENTRY T.S.										13862
AR									.25305	42672
ED								.31777	.38697	05739
ARC							.31599	.16751	.30813	.06016
CI						.10393	.32195	.46195	.27892	07031
GIT					.25899	. 52638	.15523	.44835	.41340	21472
ELI				.60804	.22609	.53829	.28203	.47742	.25379	04481
MA			.72120	.52207	.10856	.44074	.19237	.61164	.02080	12747
РА		.30897	.42971	.14164	.27660	09037	.18863	.31610	13492	.07095
VE	.17886	. 33038	. 50965	.66052	.35259	. 29377	.45118	. 58345	. 43458	43024
	PA	MA	ELI	GIT	 	ARC	ED	AR	ENTRY T.S.	ENTRY

N = 22df = 20

59

STATES STATES

TABLE A-7 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 H 20 - Fort Jackson

34.50 cm

Correlations Between Predictors and Dependent Variables MOS 71 H 20 - Fort Jackson TABLE A-7 (Continued)

							0 × 0 + 0 ; F 0 × 0				
	Variables	es	ΛF	νd	ΔM	1 11	611	7.	Jap	U.S.	1
			- L	2	5	1	110	10	ARC	EU	1
	12-40	 +-	.00264 Same as (I)	18613 (1)	20042	15527	.04774	66890	15536	16110	
	12-44	⊢	.11137 Same as (I)	30756 (I)	27573	08549	05370	28170	.00703	02674	
61	12-39	H-	33211 Same as (I)	.01841	34188	06117	14455	.00144	.03329	12624	
	12-41		12239	.51577	00917	.16994	04137	05057	.03560	23387 26170	
	12-43		09337	.34583	.01650	.02312	28319	.19666	03462 16958	.08368 10845	
	EOC TEST		15754	.08595	.00785	.12467	23512	.05165	01237	.15467 .16135	
	SUM C+CT	<u>;;</u>	36267	31222	33212	17389	08131	28599	.05151	24874	
	SUM RETAKE	TAKE	27042	03960	.09239	.14293	30957	16335	.15313	.03234	
	1st RETAKE	TAKE	.14417	.02461	.07747	.18897	13296	.14435	00684	.04623	
	LESSONS		No Data								
	E0C T.S.	, :	.21676	04205	.17726	.34661	.46203	.16290	.30338	.13532	
	EOC ERROR	30R	00650	41015	15756	.05423	.12682	08219	.24584	.12823	

TABLE A-8 Correlation Matrix for Predictors MOS 71 H 20 -- Fort Wood

ENTRY T.S.										.09128
AR									.40734	23176
ED								. 58022	.45718	01464
ARC							.03232	.18094	.06483	. 28666
CI						28260	. 25981	.01325	11059	07271
GIT					.31150	06611	.30105	.20120	.19637	.25611
ELI				.34278	.22060	15787	.15573	.28316	.04349	.12777
MA			.62998	.23186	.04175	09364	.26121	.43800	.42674	.23916
РА		.45917	.53882	.28346	.15981	06455	.30001	.34189	.23843	.13635
VE	.43135	.40691	.36568	131201	.12450	.22910	.54178	.60858	.51937	00018
	€.' G.	Ø.	173	F. 63	IJ	ARC	ED	AR	ENTRY T.S.	ENTRY

N = 28 df = 26

TABLE A-8 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 H 20 -- Fort Wood

		59	37	83	06	22	80	56	130	81
	ED	17529	41737	17283	19690	63922	18580	.15956	12030	31481
	ARC	06680	25768	.07029	.02185	-,15561	22688	44528	05456	.02837
	CI	03676	.18066	.03142	23474	26571	.14998	.53008	25015	12819
Predictors	GIT	30703	02089	20467	.13436	09293	08134	.20393	20220	00374
Pr	EL1	16894	10149	44122	.08781	08022	32126	.36508	00407	01075
	MA	35496	43189	32626	.05425	12176	25262	.18115	14443	25008
	PA	11380 s (I)	23842 s (I)	57125 s (I)	11541 s (I)	14344 (I)	44616 ; (!)	30202	. (1)	.01795
	VE	39988 Same as	24187 Same as	27735 Same as	.02558 Same as	36247 (Same as	19209 Same as	.05260 Same as	02351 Same as	31882
	Jes			~ ~						 +
	Variables	12-1	12-2	12-3	12-7	12-42	12-38	12-30	12-45	12-35

TABLE A-8 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 H 20 -- Fort Wood

						Predictors			
Variables	1	VE	PA	MA	ELI	GIT	CI	ARC	ED
	•	32389 Same as	19443 ; (I)	03933	00528	05119	.15319	34922	35496
		.03288	.03164	.11128	.06935	.27209	.03940	.03124	.02309
		.20903 Same as	. 23044	.34225	.39345	.23971	.15244	24848	15125
		34572 Same as	.08502	. 18741	.23262	.09948	21308	10229	26497
		17166 23942	07211 08210	.20896	.12572	.03916	63256 63331	05448	09916 16523
		10706	17115	23806	07581	06129	.01019	18561 16463	27936 35219
SUM C+CT		25592	15078	12712	.03191	.03735	02294	30191	39564
SUM RETAKE	1.1	31335	12204	40306	34987	20216	24495	.20006	60904
1st RETAKE	1.1	16343	0.14717	35323	24952	17288	25537	19601.	62124
		21153	.00727	32135	.03856	00093	.17038	.04365	34181
EOC T.S.		.44796	.18216	.29971	.08151	.30903	.07854	01984	.29610
EOC ERROR		06106	.01484	05667	.00351	.09271	03905	.17180	05980

TABLE A-9

i

Correlation Matrix for Predictors MOS 71 H 20 -- Fort Dix

ENTRY T.S.										.38888
AR									.27768	.09023
ED								. 48843	.42832	.29120
ARC							.53871	.35284	.33319	.11905
CI						.59101	.43493	.42403	.07867	.09109
GIT					.51440	.60740	.61673	. 58988	.32980	.19657
ELI				.62807	.45350	.51537	.62530	.48115	.33037	.06805
MA			.77549	.64641	.49325	.70537	.67326	.52085	.41227	.15073
РА		69269	.71144	.64082	.58926	.66330	.71049	.63343	.35004	.16027
УĒ	.65327	.52076	.51245	.63745	.13487	.43881	. 56569	.66094	.36603	.08764
	ማ ቋ	iş.	EL 1	SIT	13	ARC	ED	AR	ENTRY T.S.	ENTRY

65

N = 32 df = 30

Correlations Between Predictors and Dependent Variables MOS 71 H 20 -- Fort Dix TABLE A-9 (Continued)

I ARC ED	3611147130549	5031288515937 50421016716091	568 .10513 .05175	253 .03158 .24100 24801646 .22694	1950341804742	96520560240 67 4082815425857	4812045820742 5711992621506	52212967 .03959 8241062900764	2584196321480 3054495122925
Predictors ELI GIT CI	3709915012 .08861	422031968711503 380251774905042	03673 .00281 .11568	10743 .09752 .15253 14110 .05580 .09248	2654908329 .22195	141941521208965 197442052717408	166683443404481 168373484905671	0323225722 .08522 .0165324858 .08824	265672926402258 285122942610305
PA MA	0783440232 -	2717239854 - 2752838912 -	05613 .05852 - (I)	.00410 .07439 - 01616 .04325 -	.0422720437 -	0999018358 - 1439822686 -	0611726921 - 0672726756 -	.0999213290 .1185708966	2035039615 - 2192640152 -
les VE	I35498 T Same as	I33955 T44106	I17045 T Same as	I .05952 T .04900	I19392 T Same as	I07303 T10430	I07512 T06966	I00971 T01321	I10903 T09974
Variables	12-1	12-2	12-3	12-7	12-42	12-38	12-30	12-45	12-35

TABLE A-9 (Continued)
Correlations Between Predictors and Dependent Variables
MOS 71 H 20 -- Fort Dix

	ED	.21441	18042	.09993	.13023	.32563	.24534 .10568	.03564	25405	.05151	04742	.36498	.05779
	ARC	.08283	16420	.12282	.10107	.06022	.21668	06943	16061	13233	10541	.19315	.13157
:	ΙϽ	.23355	12874	.23142	.30294	.27279	.08592	.20986	28448	28399	02581	.06385	.15600
Predictors	GIT	.16679	20722	.12017	01441 04935	.15053	17101.	11287	11365	.07323	25873	.17510	.02046
ď	ELI	.30761	07735	.30394	.09299	.13312	.40172	.02233	02909	.01087	03991	. 29293	03103
	MA	.14185	11454	.21873	.03273	.08927	.45041	04659	03707	.04789	.00656	. 28409	.17516
	PA	.31107	20710 17948	.29463	.01268	.14861	.22084	.10742	04275	.15868	09818	.27006	.07946
	VE	.30376 Same as	19733	.12435	06775	.23981	.00858	07761	06081	.30181	21045	.31321	12669
10000	Variables	12-40 I	12-44 I	12-39 I	12-41 I	12-43 I	EOC I TEST T	SUM C+CT	SUM RETAKE	1st RETAKE	LESSONS	EOC T.S.	EOC ERROR
				67	7								

TABLE A-10 Correlation Matrix for Predictors

MOS 71 H 20 - Fort Polk

	VE	PA	Æ	ELI	GIT	CI	ARC	ED	AR	ENTRY T.S.
ΡΑ	.33066									
MA	.25218	.23981								
EL I	.44564	.39097	.66967							
TI9 6	.63181	.20262	.31233	.46027						
. IJ	.26485	17204	.06936	.22462	.36769					
ARC	.38574	.30366	. 26697	.36618	.28750	11588				
ED	. 64249	.10350	.07964	.35566	. 59961	.29808	.15988			
AR	.65432	.42955	.22722	.42376	.64872	.06924	.38143	.51945		
ENTRY T.S.	38411	24612	.21871	01190	20716	15418	27509	29007	30039	
ENTRY	02197	21619	13026	08397	01482	.19115	07740	ווופו.	23994	.32372
N = 25 $df = 23$. <u>.</u> ლ									

Correlations Between Predictors and Dependent Variables TABLE A-10 (Continued) MOS 71 H 20 -- Fort Polk

<u> </u>	04529770	05996	.17315	04898	25	_		~ 1	_ ~
	145				20705	.25211	.05826	.03024	18941
ARC	.16045	.11419	.15108	.32799	.42330	.22701	.29761	03908	08764
IJ	38080	.14769	.28692	50739 49031	28416	12347	.05217	24851	03832
Predictors GIT	03059	05535	.02276	14450 21110	31716	.08642	.21344	36188	48541
ELI	07786	13632	.12878	.31505	36954 35506	.13813	.19618	22018	.00805
MA	30136	.05091	03242	.34177	26289	.48145	.28896	04602	.12093
PA	. 49336	08823 (I)	. 18406	.32672	20628 21469	. 05595 (I)	.19463 (I)	04939 (I)	.07267
VĒ	01057 Same as	.12815 Same as	05418 Same as	.12243	.02827	.05109 Same as	.22129 Same as	08516 Same as	04524
les		₩ 1	⊷				⊢	⊢	
Variables	12-1	12-2	12-3	12-7	12-42	12-38	12-30	12-45	12-35

Correlations Between Predictors and Dependent Variables TABLE A-10 (Continued) MOS 71 H 20 -- Fort Polk

	Variables	100				d.	Predictors			
	4 4 1 1 4 1	3	VE	РА	MA	ELI	GIT	IJ	ARC	ED
	12-40		24501	15645	.20155	.13000	36940 36436	.26740	01036 01986	25103 29827
	12-44		43383 Same as	38527 : (I)	25032	37351	10533	02184	-,35199	34649
70	12-39		22982	24103 28526	07357	29901	19489	02097	32505	32252 33051
)	12-41		.33218	.27259	.22098	.14578	.21049	.16022	21411	.31260 .29652
	12-43		.33252 Same as	00410 : (I)	06914	00610	.25215	.22423	12996	.05555
	EOC TEST		.27745	.21028	.19723	.09553	13883	17854 05998	.19804	08004 11915
	SUM C+CT	-ċT	00590	.02933	.24082	13025	39108	22654	04672	27584
	SUM RETAKE	TAKE	38281	29430	06903	00653	01673	.23442	18947	14530
	lst RETAKE	TAKE	.11231	30508	.00335	.13982	.05065	.38338	42683	.22091
	LESSONS	S	.41972	.19484	20354	00033	.32807	.10425	.25078	.28312
	E0C T.S.	s.	18707	23556	. 25759	00394	.02516	05692	11187	17085
	EOC ERROR	ROR	11705	17656	16709	21602	17771	.15268	29264	-, 18181

TABLE A-11 Correlation Matrix for Predictors MOS 71 B 20/30 -- All Posts Combined

	3/	PA	MA	ELI	GIT	CI	ARC	ED	AR	ENTRY T.S.
PA	.56197									
MA.	.57768	.67202								
ELI	.56297	.50199	69659.							
GIT	.41355	.46275	.74149	.63544						
C1	.26533	.29458	.48649	.20744	.35325					
ARC	.25122	.30813	.42189	.27169	.27263	. 20660				
ED	.66301	.32666	.34729	.42530	.38817	.15049	06753			
AR	.55690	99619.	.54737	.46596	.45936	.16955	.45441	.38132		
ENTRY T.S.	.30601	.04935	.01662	.07354	05712	07291	.06284	.29536	.14293	
ENTRY	. 30848	. 27499	.19926	.14938	.08956	.02521	00152	.29285	.17422	.33964

N = 51 df = 49

TABLE A-11 (Continued)

Correlations Between Predictors and Dependent Variables

MOS 71 B 20/30 -- All Posts Combined

	ED	.00553	09812	00125	.04565	05967	.09548	05589	26331 27940
	ARC	12291	02698	.02467	04518	22480	33514	.22903	37933
	CI	06035	07432	05336	06371	15108	18554	.11284	05751
Predictors	GIT	.01521	.02533	.09321	.01524	.05037	07042	01102	15254
	ELI	.11538	10817	.01104	.13453	09691	13497	.00237	13876
	₩	02666	08232	.01132	.04129	13199	25833	.17183	24183
	PA	12647	15524 (I)	.02265	02636	20855 (I)	30883	00184	13832
	۸E	08678	20186 Same as	07696 Same as	.01351	16484 Same as	12434	01549	33453
100	20.00	 			п г		н н		
70 4c inc/	\ ar c	12-27	12-32	12-38	12-30	12-31	12-35	12-33	EOC TEST

TABLE A-11 (Continued)
Correlations Between Predictors and Dependent Variables

MOS 71 B 20/30 -- All Posts Combined

Variables				β	Predictors			,	
2	VE	PA	МА	EL 1	GIT	IO	ARC	ED	
SUM C+CT	23985	22490	15169	06225	01646	12175	25036	08033	
SUM RETAKE	00548	13068	26394	09060	27855	00729	30226	09788	
RETAKE	lst RETAKE13226	19032	28515	22337	16504	09539	25842	07602	
_ESSONS	02782	.10790	.20455	.12345	.25772	.27235	10858	.06829	
EOC T.S.	.24001	.14889	.02273	00658	.02130	02351	.03991	.30942	
EOC ERROR	04838	05923	24035	09317	05535	.03134	02413	03076	

APPENDIX B

Regression Coefficients and Multiple Correlations
Between Predictors and Dependent Variables

. Andrew

TABLE B-1

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-21

					·	
Predictors	(N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)	
VE	.01374	03296	01751	.00354	.07604	
PA	.00371	.00898	03637	.01941	.01237	
MA	.01290	02401	.09030	00632	05788	
ELI	00183	01472	.00433	00530	01951	
GIT	01045	.10091	00419	00816	00395	
CI	01458	00475	00764	.01206	.06385	
ARC	00484	.00765	00150	.00768	05974	
ED	00285	.93770	23683	.07826	.44185	
Α	1.03748	-13.32022	1.18172	-0.34117	-4.46636	
Multiple	. 39 NS	.JO NS	.56 NS	.53 NS	.38 NS	
$\overline{\mathbf{x}}$	1.18	2.54	1.24	1.10	2.73	
σ	.94	7.21	1.52	.71	5.16	

TABLE B-2

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-22

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	.00825	00590	0	00447	.01015
PA	.00958	00859	0	.01531	01695
MA	.00903	.03766	0	02603	.01018
ELI	.00009	01605	0	.00334	.00630
GIT	.01187	02739	0	01119	05037
CI	02181	00037	0	.00985	00108
ARC	00488	00551	0	.01124	.00 7 97
ED	02411	.06271	0	.16858	12630
Α	0.44286	4.00352	0	0.17939	7.79253
Multiple	.51 NS	.29 NS	0	.56 NS	.60 NS
$\overline{\mathbf{x}}$	1.62	2.28	0	2.01	3.15
σ	.93	2.29	0	.97	1.52

TABLE B-3

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-17

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N≈24)	DIX (N:41)	POLK (N=32)	
VE	01126	02940	01448	.06609	01332	
PA	01575	00129	05616	04970	.02785	
MA	00829	.03150	01878	.07816	.01927	
ELI	.01640	00134	.04912	04845	01598	
GIT	04670	00017	.02567	05120	00479	
CI	.00582	.01797	02375	.01846	05803	
ARC	01338	01239	00102	.00173	.01718	
ED	05053	23557	18030	65812	35032	
А	13.04634	8.50925	11.29207	11.03634	13.48197	
Multiple	.68**	.24 NS	.66 NS	. 61*	.48 NS	
\overline{x}	4.62	5.72	4.13	4.63	6.62	
σ	1.64	3,40	1.46	3.32	2.92	

^{*}Significant at the p<.05 (evol. **Significant at the p<.01 level.

TABLE B-4

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-6

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)	
VE	02045	03273	.02047	02042	.11152	
PA	06619	.05284	07524	.06254	.02764	
MA	02513	04113	.03441	06425	04628	
ELI	.04331	03235	.02914	02190	07527	
GIT	05661	.00412	.02081	00236	.01219	
CI	00525	.00710	03157	00067	01060	
ARC	00125	01475	.00610	03229	.01280	
ED	28465	27666	32365	32120	63791	
Α	23.87790	17.06494	7.62529	17.60008	9.22937	
Multiple	.64**	.38 NS	.62 NS	.54 NS	.61 NS	
$\overline{\mathbf{x}}$	5.92	7.30	4.01	4.79	5.80	
σ	3.53	4.27	1.81	3.31	3.21	

^{**}Significant at the p<.01 level.

TABLE B-5

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-13

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	(N=41)	POLK (N=32)
VE	.01600	.03909	.00766	.04863	.00040
PA	01872	.00663	04088	.00983	.00029
MA	00876	08868	.04405	05261	01955
ELI	.01993	.03269	00374	.01761	00874
GIT	00041	04961	.03287	05678	.00117
CI	02538	05653	03979	.01993	00739
ARC	01212	01180	.01078	02917	01523
ED	23917	39663	23059	33844	.03936
А	9.13560	23.70174	3.90627	11.93423	7.62349
Multiple	.60**	.58*	.63 NS	.63*	.54 NS
$\overline{\mathbf{x}}$	3.10	5.24	2.46	3.24	3.26
σ	1.75	4.36	1.76	2.63	1.32

^{*}Significant at the p<.05 level, **Significant at the p<.01 level.

TABLE B-6

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-23

Predictors	(N=54)	JACKSON (N=46)	W00D (N=24)	DIX (N=41)	POLK (N=32)	
VE	01769	05094	02650	03838	.16598	
PA	04528	00697	.00133	00809	00951	
MA	.00657	.15243	02991	07597	04418	
ELI	.01809	08028	.02152	.03139	03040	
GIT	.02549	.02633	.06305	.11108	02403	
CI	01610	03657	03839	05076	03887	
ARC	00250	01143	03887	04379	.02017	
ED	20810	-1.01585	04313	66593	-1.01766	
Α	11.12075	22.12778	9.58774	22.46971	12.93146	
Multiple	.48 NS	.36 NS	.88**	.60*	.88**	
$\overline{\mathbf{x}}$	4.63	8.79	3.01	3.24	5.67	
σ	2.49	8.12	1.53	2.63	2.87	

^{*}Significant at the p0.05 level, **Significant at the p<.01 level.

TABLE 6-7

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-9

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)	
VE	.01754	.03860	00864	. 02954	.05831	
PA	03952	.03953	.03524	.01063	06062	
MA	00570	13224	00466	.01800	00019	
ELI	00276	.03569	.00861	02629	00214	
GIT	.01236	.09090	06259	00152	.00521	
CI	.00080	11255	01142	.02019	00024	
ARC	01067	01841	02317	00790	01273	
ED	37784	52752	18626	54958	59091	
A	12.04103	22.26343	12.50463	6.32898	12.67723	
Multiple	.58*	.36 NS	.81*	.55 NS	.59 NS	
\overline{x}	4.20	9.02	2.91	4.03	4.61	
σ	2.32	7.62	1.86	2.27	2.57	

^{*}Significant at the p<.05 level.

TABLE B-8

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-11

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	06101	.10583	01911	.06238	01205
PA	.00831	19645	07060	17838	.04915
MA	01882	.17607	08794	19017	.02435
ELI	.03017	04076	.11465	.17116	.09921
GIT	.01756	12508	.02136	.16268	17487
CI	.00506	24322	02611	05527	01293
ARC	.00991	01389	.01792	16214	02402
ED	91394	.11103	48977	-1.00452	46987
А	22.62532	50.06615	17.12563	43.41811	23.09311
Multiple	.50 NS	.50 NS	.70 NS	.84**	.40 NS
x	9.01	18.43	4.32	8.97	12.76
σ	5.89	15.05	2.90	6.74	7.65

^{**}Significant at the $\rho_\infty,\, \cong$ level.

TABLE B-9

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable 12-4

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	.05734	.02555	04876	00066	.04993
PA	01571	.02277	02024	01180	08470
MA	02088	03157	.10744	.00630	.04043
ELI	.02238	04820	00579	.00213	.00215
GIT	06054	.03916	03705	00654	05922
CI	.02721	03530	.01466	.00750	01180
ARC	00490	02033	00970	01380	00058
ED	42842	62872	43254	30397	.22021
A	8.629 26	18.49001	7.95992	9.52085	7.76734
Multiple	.44 NS	.46 NS	.67 NS	.58 NS	.60 NS
x	4.20	5.68	2.56	3.63	4.63
σ	2.58	4.26	1.92	1.82	3.02

TABLE B-10

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable EOC TEST

Predictors	KNOX (N=54)	JACKSON (N≃46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	05774	.06148	.09111	12687	.06765
PA	01406	06328	10926	02586	03110
MA	.00777	08692	.12058	.02127	02723
ELI	00217	.03150	.03337	04984	02284
GIT	00076	.06814	.05681	08230	02261
CI	.00008	05598	05347	.10861	02809
ARC	.02465	00704	10226	07590	.01295
ED	14440	-1.28734	51990	.24063	44855
А	13.87448	32.81905	10.64998	37.14742	16.98039
Multiple	.40 NS	.50 NS	.77*	.74**	.59 NS
x	6.86	10.55	7.84	14.54	6.92
σ	2.96	5.16	3.51	6.25	2.82

^{*}Significant at the p<.05 level, **Significant at the p<.01 level.

TABLE B-11 Regression Coefficients and Multiple Correlations MOS 71 B 10 -- Variable SUM C + CT

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	75037	.62926	02752	02485	.33978
PA	10349	34551	35823	.07240	00351
MA	.12357	26779	.18261	11493	.06536
ELI	.17526	.11665	.31265	07145	10955
GIT	01078	.16929	.02525	15125	27767
CI	14670	54934	15528	.12747	09784
ARC	03107	13364	12093	20679	04711
ED	3.42385	-3.78809	-1.66255	-3.38556	-2.18887
A	86.47502	149.40372	69.18243	133.36191	88.92574
Multiple	.71**	.43 NS	.74 NS	.68**	.50 NS
x	43.85	63.92	29.74	48.68	54.69
σ	15.20	38.05	10.10	19.55	14.12

^{**}Significant at the p<.01 level.

TABLE B-12

Regression Coefficients and Multiple Correlations

MOS 71 B 10 -- Variable SUM RETAKE

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)	
VE	03315	02475	.00948	.03220	04663	
PA	.00708	.03119	05748	06737	.02923	
MA	04056	15659	.03691	06794	09735	
ELI	01079	02516	03149	.02173	.00973	
GIT	07486	.06267	.09648	05485	.01899	
CI	.05308	05202	02694	.04074	.03665	
ARC	.01839	.00801	03750	07911	.02668	
ED	04656	-1.07087	20816	.06604	38786	
Α	10.52193	35.64273	5.88696	21.00345	9.60036	
Multiple	.44 NS	.54 NS	.43 NS	.72**	.58 NS	
x	1.13	4.85	1.98	3.16	1.69	
σ	3.72	6.87	3.80	4.19	3.57	

^{**}Significant at the p \langle .01 level.

TABLE B-13 $\begin{tabular}{ll} Regression Coefficients and Multiple Correlations \\ MOS 71 B 10 -- Variable FIRST RETAKE \\ \end{tabular}$

Predictors	KNOX (N=54)	JACKSON (N=46)	WOOD (N=24)	DIX (N=41)	POLK (N=32)
VE	06252	.01221	10320	06086	.02478
PA	01980	.00625	03660	02549	.00880
MA	.00043	05705	.04683	01714	04789
ELI	02578	02246	.02167	.02981	.01882
GIT	02382	.03891	03650	02186	03037
CI	.00742	02019	.00917	02067	.02144
ARC	.00772	00707	.05944	02727	.01380
ED	.15466	33542	25484	.09609	30587
A	12.28286	12.04117	9.46863	17.62051	6.35664
Multiple	.50 NS	.42 NS	.56 NS	.46 NS	.54 NS
x	1.43	2.48	1.79	2.76	.91
σ	3.21	2.82	2.89	3.36	1.89

TABLE B-14

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-1

	10.20	· · · · · · · · · · · · · · · · · · ·			
Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	00746	02470	02081	03235	.00474
PA	02240	04050	.00698	.02613	.01543
MA	00357	.00184	02125	01963	02189
ELI	.01779	00026	.00936	01100	.00779
GIT	.00303	00819	01071	.01538	.01534
CI	00164	03348	00204	.00007	00809
ARC	.01777	.03529	00071	.00107	.00055
ED	09204	12155	. 05655	09492	17693
А	2.35433	11.77870	5.22154	5.42183	2.03179
Multiple	.60*	.63 NS	.54 NS	.69*	.82**
x	1.4	2.36	1.36	1.43	1.12
σ	0.8	1.92	1.79	0.72	0.52

^{*}Significant at p<.05 level, ** Significant at p<.01 level.

TABLE B-15

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-2

Predictors	KNOX (N=42)	JACKSON (N-22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)	
VE	.00689	01742	.00945	02756	.01125	
PA	00541	03030	00358	.00279	00144	
MA	.00346	.02003	02300	01711	.00838	
ELI	01062	01838	.00624	00418	01351	
GIT	.02059	.04242	.00246	.01047	00903	
CI	01371	01145	.00505	00472	.00638	
ARC	00265	02121	00635	.00681	.00378	
ED	04288	.25115	15435	.08074	02856	
Α	1.64040	2.66263	4.45804	3.97310	0.36726	
Multiple	.40 NS	.55 NS	.68 NS	.64 NS	.46 NS	
$\overline{\mathbf{x}}$	1.09	1.77	1.25	1.04	0.68	
σ	0.95	1.19	0.64	0.52	0.44	

TABLE B-16

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-3

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	02367	.01110	00145	01499	01114
PA	.02212	00124	01761	00555	.00658
MA	.00368	03256	.00314	.00479	00114
ELI	00346	.04167	00886	00297	00021
GIT	.02385	00818	00165	.00180	00478
CI	00492	02355	.00585	.00201	.00703
ARC	01536	.00609	.00255	.00432	.00368
ED	06772	53032	01355	.06421	.06820
Α	1.96011	10.28026	3.43166	1.54737	-0.20050
Multiple	.64*	.61 NS	.62 NS	.31 NS	.60 NS
x	1.17	1.73	1.13	1.09	0.69
σ	0.76	1.55	0.63	0.67	0.27

^{*}Significant at the p<.05 level.

TABLE B-17

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-7

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.03043	15799	.01982	.02561	.00832
PA	.01517	18170	02218	02517	.00277
MA	03326	14071	.00118	.03627	.02886
ELI	03109	01343	.01572	04536	.03216
GIT	.00595	.28659	.02435	00011	04937
CI	.00275	.01173	02071	.03096	03091
ARC	04072	.03393	00306	02151	.00654
ED	.26859	.05317	22088	.54382	.02416
А	4.77639	27.90114	5.18039	-3.78557	5.43239
Multiple	.66**	.63 NS	.44 NS	.50 NS	.70 NS
x	3.00	7.50	3.90	4.57	5.02
σ	1.91	7.04	1.69	2.08	1.65

^{**}Significant at the p \langle .01 level.



END DATE 7 80 DTIC




TABLE B-18

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-42

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.01121	00932	00098	06204	.02726
PA	.00935	03303	.00587	.07403	01907
MA	.01334	04492	.00104	03185	00466
ELI	02168	.04466	00538	06455	02319
GIT	00250	.06500	.01303	.01239	02311
CI	.00104	07117	01317	.04963	00507
ARC	.01708	02325	01100	01620	.02390
ED	.18304	28244	51699	.10875	10353
A	-2.99115	16.85803	11.90164	7.54323	6.82108
Multiple	.45 NS	.75 NS	.68 NS	.54 NS	.76*
x	2.69	3.55	3.47	4.03	2.78
σ	1.59	1.99	1.53	3.15	0.95

^{*}Significant at the p<.05 level

TABLE B-19

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-38

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	00355	07443	.01750	.00516	03999
PA	02745	03469	03008	.02810	.00234
MA	.02074	03262	.00276	.00948	.08204
ELI	.02812	.03488	02251	01111	04353
GIT	.00270	01041	.00222	00163	02513
CI	00839	01181	.01295	00259	00785
ARC	00276	01651	01245	02587	.01527
ED	.05013	15000	13925	28108	.61142
A	0.34643	22.22482	7.44691	6.01717	-4.85843
Multiple	.38 NS	.64 NS	.58 NS	.36 NS	.70 NS
×	2.00	3.09	2.31	2.54	1.98
σ	1.30	2.24	1.35	2.03	1.58

TABLE B-20

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-30

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	01634	.01041	00742	.08652	.00788
PA	.06301	01757	.01506	.02202	.00947
MA	00608	.02429	00429	04465	.02405
ELI	02236	04164	.01707	.01104	01641
GIT	00579	.02050	00277	10251	.00967
CI	01280	02202	.02367	.04581	.00612
ARC	00713	.02533	01609	00760	.01234
ED	04466	23547	.03433	21656	05859
A	3.94105	6.74795	-0.04057	4.98283	-2.17558
Multiple	.44 NS	.40 NS	.67 NS	.50 NS	.41 NS
x	2.55	3.68	3.11	3.50	2.93
σ	1.45	2.34	1.41	2.87	1.30

TABLE B-21

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-45

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.01373	06164	.01022	.04702	.00869
PA	05414	.03984	.00458	.03293	.00270
MA	02748	.01619	02202	02322	.03175
ELI	.01329	00354	.01193	.01371	03750
GIT	.03199	.08516	00931	09161	07998
CI	.01594	05682	01226	.04215	00960
ARC	.01341	00185	00657	01722	.00364
ED	13302	. 31794	01873	.01829	.42851
A	4.71833	-2.16672	5.14545	2.07959	4.64698
Multiple	.43 NS	.64 NS	.41 NS	.50 NS	.56 NS
×	3.65	3.45	2.45	2.91	2.34
σ	1.92	1.95	0.93	2.36	1.54

TABLE B-22

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-35

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	06164	09332	04080	.08101	.04101
PA .	.04147	06667	.02713	00369	.01666
MA	00576	00158	03857	03262	.03668
ELI	02827	00522	.01722	00638	.00534
GIT	.06435	.10933	.01384	03675	16320
CI	03864	03896	00687	.05828	.02367
ARC	01770	02979	.00853	05087	00120
ED	.14385	.48705	22666	.00998	.08941
A	7.34420	12.49910	9.36607	1.25507	6.16174
Multiple	.50 NS	.78 NS	.50 NS	.58 NS	.66 NS
x	3.85	3.82	3.41	3.23	3.69
σ	2.20	1.94	1.93	2.40	2.14

TABLE B-23

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-40

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.01124	02013	01051	.04913	02119
PA	02407	02618	01191	.00088	00326
MA	.01012	02402	.01280	02190	.01305
ELI	.00722	.00698	00055	.01901	.00940
GIT	00750	.06254	.00148	02094	04284
CI	01066	00950	.01243	.02731	.02736
ARC	.00504	03727	01389	00977	.00902
ED	.02625	.23301	26024	.00400	02476
A	2.53335	5.24520	6.90432	-3.29745	3.41370
Multiple	.24 NS	.39 NS	.54 NS	.49 NS	.72 NS
x	2.05	2.27	1.86	1.92	1.86
σ	1.39	1.75	1.45	1.32	0.92

TABLE B-24

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-44

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.01304	.04835	00109	01356	02908
PA	06262	03217	00394	00557	02279
MA	01259	04737	.01163	.00685	01296
ELI	.02760	.02836	00154	.01694	00743
GIT	.00607	02022	.02827	01680	.05920
CI	00647	03954	.00046	.00042	00466
ARC	.01619	.00156	.00490	00625	01195
ED	04192	02607	10064	15782	29280
A	4.16760	9.80919	-0.60452	6.67696	10.02398
Multiple	.51 NS	.55 NS	.28 NS	.30 NS	.64 NS
×	1.54	2.59	2.20	2.26	2.06
σ	1.33	1.89	1.72	1.85	1.42

TABLE B-25

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-39

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.00668	28050	.04971	00341	.05211
PA	00167	.04354	.00336	.02404	05162
MA	00912	27465	.02868	.01293	.03121
ELI	.00541	.15394	.01338	.01233	05336
GIT	00647	.10652	.01755	01103	.03487
CI	00563	.03263	.00750	.01382	00254
ARC	.00091	.06250	01955	01203	05115
ED	.18312	.03745	51485	20185	91106
A	0.86717	28.80997	0.61789	1.21157	23.94389
Multiple	.40 NS	.61 NS	.60 NS	.43 NS	.52 NS
x	2.25	8.68	5.26	2.35	6.70
σ	1.05	6.77	2.09	1.44	4.14

TABLE B-26

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-41

Predictors	KNOX (N=42)	JACKSON (N=22)	W00D (N=28)	DIX (N=32)	POLK (N=25)
VE	.00922	.01384	02368	.01630	.03552
PA	.00810	.11194	.00357	02229	.03485
MA	.00790	02908	.00782	00920	.04232
ELI	.01717	00151	.00983	.01380	03346
GIT	02020	04459	.00744	02438	01347
CI	01100	00893	00686	.02655	.00801
ARC	01486	.06974	.00064	.00426	03095
ED	13133	76441	02488	.09883	.24830
A	3.48817	0.09284	2.06483	-0.48567	-7.34943
Multiple	.52 NS	.74 NS	.62 NS	.46 NS	.62 NS
x	1.48	2.59	1.23	1.34	1.70
σ	1.05	2.20	0.59	0.89	1.65

TABLE B-27

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable 12-43

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	01305	.01561	02766	.09057	.03878
PA	01686	.01705	00567	03173	00396
MA	.00956	00011	.01593	.02021	00988
ELI	.01075	.02997	.01127	01199	00009
GIT	01000	14182	.01423	03960	.01875
CI	01843	.02223	03480	.05552	.00279
ARC	00958	.01795	00373	03088	01045
ED	.14942	32975	.05917	.29241	22336
A	4.99499	10.59948	5.46360	-7.77122	0.91977
Multiple	.50 NS	.62 NS	.77*	.44 NS	.56 NS
x	1.60	2.64	2.55	3.15	1.94
σ	1.06	2.06	1.07	2.12	0.83

^{*}Significant at the p \langle .05 level.

TABLE B-28

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable EOC TEST

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	.01195	16753	.07086	35824	.05097
PA	04771	05409	01537	.19400	00344
MA	.01591	05717	08661	.21138	.01082
ELI	.00079	.23118	.00539	.04017	.01742
GIT	06620	24472	.00511	.08996	04768
CI	03816	.02996	00335	22392	00147
ARC	00775	02417	03550	02055	.00243
ED	.19326	1.19227	78357	88693	24040
A	19.13179	28.19420	27.67995	35.24789	8.75281
Multiple	.45 NS	.50 NS	.49 NS	.57 NS	,41 NS
<u>x</u>	7.32	12.45	10.85	13.36	9.02
σ	3.10	7.97	3.80	7.44	1.66

TABLE B-29 Regression Coefficients and Multiple Correlations MOS 71 H 20 - Variable SUM C + CT

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	01206	76855	.02258	.04890	.27787
PA	08795	25239	05558	.14147	.00918
MA	01716	60583	10984	08049	.28052
ELI	.00813	.32992	.08878	.01967	19692
GIT	.03827	.62163	.09801	27666	36910
CI	14837	21006	03208	.30567	02285
ARC	04945	.04974	12299	14469	02385
ED	.60204	.32527	-2.21911	.47122	51761
A	58.97391	160.09612	89.73032	36.92235	51.84641
Multiple	.40 NS	.64 NS	.52 NS	.40 NS	.70 NS
×	37.60	59.41	45.63	44.16	43.54
σ	8.82	18.50	10.72	13.91	7.01

TABLE B-30

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable SUM RETAKE

Predictors	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	0	05657	.00339	12946	09293
PA	0	03674	.01551	.15107	02376
MA	0	.01064	01419	.10347	02183
ELI	0	.11046	01621	00877	.04020
GIT	0	22677	.00314	.05681	.04840
CI	0	01768	00165	14955	.02489
ARC	0	.05870	.00497	03976	00068
ED	0	.07847	31407	-1.38993	07072
A	0	17.65405	5.27958	25.79257	6.09339
Multiple	0	.60 NS	.74*	.52 NS	.59 NS
×	0	2.27	0.43	4.47	0.99
σ	0	4.42	0.93	5.20	2.06

^{*}Significant at p<.05 level.

TABLE B-31

Regression Coefficients and Multiple Correlations

MOS 71 H 20 -- Variable FIRST RETAKE

Predictor	KNOX (N=42)	JACKSON (N=22)	WOOD (N=28)	DIX (N=32)	POLK (N=25)
VE	0	.13268	.13433	.03621	.09554
PA	0	05033	.04354	.15696	10032
MA	0	.01191	10412	.09493	02684
ELI	0	.09576	05492	06925	.12954
GIT	0	25163	.01583	.05956	07085
CI	0	.05231	02391	13360	.03740
ARC	0	00020	00491	08429	09976
ED	0	58338	-2.10745	42341	.22778
A	0	10.34527	29.49654	0.57483	2.75935
Multiple	0	.50 NS	.73*	.58 NS	.68 NS
x	0	2.82	2.64	3.94	2.48
σ	0	4.32	5.31	5.03	4.66

^{*}Significant at the p<.05 level.

TABLE B-32

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-27

Predictors	ALL POSTS COMBINED (N=51)
VE	01538
PA	01161
MA	.01024
ELI	.02353
GIT	01507
CI	00167
ARC	01034
ED	.01149
A	4.50296
Multiple	.30 NS
x	2.20
σ	1.56

TABLE B-33

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-32

Predictors	ALL POSTS COMBINED (N=51)
VE	02264
PA	00938
MA	.00296
ELI	00771
GIT	.02283
CI	00523
ARC	.00231
ED	.03130
Α	3.00340
Multiple	.26 NS
x	1.34
σ	1.76

TABLE B-34

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-38

Predictors	ALL POSTS COMBINED (N=51)
VE	01938
PA	.00649
MA	00595
ELI	00207
GIT	.01840
CI	00564
ARC	.00328
ED	.05994
A	2.42771
Multiple	.19 NS
x	2.45
σ	1.58

TABLE B-35

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-30

Predictors	ALL POSTS COMBINED (N=51)
VE	00200
PA	01077
MA	.01692
ELI	.03107
GIT	02981
CI	00323
ARC	01182
ED	03158
A	5.38897
Multiple	.26 NS
×	3.84
σ	2.17

TABLE B-36

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-31

Predictors	ALL POSTS COMBINED (N=51)
VE	.00002
PA	01285
MA	00352
ELI	00618
GIT	.03417
CI	00914
ARC	01238
ED	06167
A	2.95080
Multiple	.37 NS
x	1.08
σ	1.51

TABLE B-37

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-35

Predictors	ALL POSTS COMBINED (N=51)
VE	.00280
PA	02961
MA	02088
ELI	00327
GIT	.02869
CI	00889
ARC	02112
ED	.17416
A	7.93952
Multiple	.46 NS
x	4.55
g	2.35

TABLE B-38

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable 12-33

Predictors	ALL POSTS COMBINED (N=51)		
VE	00895		
PA	01794		
MA	.04058		
ELI	.00499		
GIT	04153		
CI	.00710		
ARC	.00631		
ED	.05515		
A	3.10980		
Multiple	.33 NS		
x	2.78		
σ	1.55		

TABLE B-39

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable EOC TEST

Predictors	ALL POSTS COMBINED (N=51)00686	
VE		
PA	.02463	
MA	06735	
ELI	.01446	
GIT	.03877	
CI	.01505	
ARC	05461	
ED	55246	
A	17.70786	
Multiple	.56 NS	
x	6.35	
σ	3.12	

TABLE B-40

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable SUM C+CT

Predictors	ALL POSTS COMBINED (N=51)		
VE	12077		
PA	06716		
MA	.01091		
ELI	.04017		
GIT	.08152		
CI	02298		
ARC	07501		
ED	00165		
A	42.07471		
Multiple	.36 NS		
x	23.88		
σ	8.85		

TABLE B-41

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable SUM RETAKE

Predictors	ALL POSTS COMBINED (N=51) .04586		
VE			
PA	.00097		
MA	04294		
ELI	.01850		
GIT	02248		
CI	.01671		
ARC	02468		
ED	28480		
Α	4.81208		
Multiple	.49 NS		
x	0.58		
σ	1.93		

TABLE B-42

Regression Coefficients and Multiple Correlations

MOS 71 B 20/30 -- Variable FIRST RETAKE

Predictors	ALL POSTS COMBINED (N=51)	
VE	.02594	
PA	.00049	
MA	05533	
ELI	01336	
GIT	.02685	
CI	.00514	
ARC	01976	
ED	12809	
A	5.73334	
Multiple	.35 NS	
x	1.06	
σ	2.63	

والمعتمل والمتعالية والمتعادد والمتعارض

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM		
1. REPORT NUMBER	2. GOVT ACCESSIO :1 NO. AT) - ACUSS 748	3. RECIPIENT'S CATALOG NUMBER		
AN ANALYSIS OF COMPLETION TIM		5. TYPE OF REPORT & PERIOD COVERED		
ARMY TRAINING CENTERS OF PROG	, , , , , , , , , , , , , , , , , , ,	D Consulting Report		
STRUCTION MATERIALS FOR MOS 7 71 H 20, & MOS 71 B 20/30	T BIO, MOS	6. PERFORMING ORG REPORT NUMBER 2006210 7A712		
7. AUTHOR(e)		B. CONTRACT OR GRANT HUMBER(s)		
T. O. Jacobs		DAHC 19-70-C-0012 -		
9. PERFORMING ORGANIZATION NAME AND ADDRESS Human Resources Research Org	anization	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
300 N. Washington Street Alexandria, Virginia 22314	•			
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE		
Department of the Army		June 1972		
		13. NUMBER OF PAGES		
14. MONITORING AGENCY NAME & ADDRESS(II different	t Imm Controlling Office)	120 15. SECURITY CLASS. (of this report)		
MONITORING NOTICE HAME I ADDITECTIVE CONTROL		Unclassified		
	•	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
Approved for public release; distribution unlimited.				
17 DISTRIBUTION STATEMENT (of the shetrer) entered	in Block 20. If different from	m Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)				
18. SUPPLEMENTARY NOTES				
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)				
Army training analysis of variance				
instructional materials				
variables				
regression analysis 20, ABSTRACT (Continue on veveree eide if necessary and identify by block number)				
This report describes a project to determine the extent of differences in course material completion time at Army Training Centers, and to identify ways to				
predict course completion times. Analyses of variance were run on both predicto				
and dependent variables, and results are presented here. Appendices contain				
tables that display data on: (1) correlations among predictor variables, and				
between predictor variables and dependent variables; and (2) regression coefficients and multiple correlations between predictors and dependent variables.				

DATE FILME

